








# DC EXHIBIT H



**MORTON & PITALO, INC.**  
 CIVIL ENGINEERING • LAND PLANNING • LAND SURVEYING  
 650 Coolidge Drive, Suite 142 • Folsom, CA 95630  
 phone: 916.984.7621 • fax: 916.984.9617  
 web: www.mrtipng.com

CONSULTANT

APPROVALS



**A WEST BOUNDARY**  
GIBSON DRIVE

**B SOUTH BOUNDARY I**  
ADJACENT TO PARCEL 3

**C SOUTH BOUNDARY II**  
ADJACENT TO PARCEL 3

**D EAST BOUNDARY**  
CONFERENCE CENTER DRIVE


**E NORTHEAST BOUNDARY**

**F NORTHWEST BOUNDARY**

ABBREVIATIONS	
FF	FINISHED FLOOR
FL	FLOWLINE
FW	TOP OF RETAINING WALL
BW	BOTTOM OF RETAINING WALL


## PRELIMINARY GRADING PLAN ROSEVILLE CONFERENCE CENTER HOTELS SHEET 3 OF 31 251 CONFERENCE CENTER DRIVE

← OVERLAND RELEASE



- Base Leveling Pad Notes:**
- The leveling pad is to be constructed of crushed stone or 2,000 psi unreinforced concrete.
  - The base foundation is to be approved by the site geotechnical engineer prior to placement of the leveling pad.


Compac II Unit		Cap Unit	
Width:	18"	Width:	18"
Depth:	12"	Depth:	10 1/2"
Height:	8"	Height:	4"
Weight:	82 lbs	Weight:	45 lbs



ON-SITE RETAINING WALL DETAIL (TYP)

CUT = 13,000 CY  
 FILL = 4,150 CY  
 NET CUT = 8,850 CY (EXPORT)  
 ROUGHLY 6,000 C.Y. ARE INTENDED TO BE STOCKPILED ON LOT 3 FOR FUTURE GRADING

**RAW EARTHWORK**



NO.	DATE	DESCRIPTION

COMPUTED BY  
 DESIGNED BY  
 DRAWN BY  
 PROJECT ENGINEER

PROJECT  
**ROSEVILLE CONFERENCE CENTER HOTELS**  
 251 CONFERENCE CENTER DRIVE  
 ROSEVILLE, CA

DATE: JUNE 15, 2023  
 SCALE: SHEET 3  
 JOB NUMBER: 22-0061-00 OF 31

**PRELIMINARY GRADING PLAN**  
 City of Roseville Approval

NOT FOR CONSTRUCTION