

**ITEM 6.2: MAJOR PROJECT PERMIT (MPP) STAGE 2 – 350 CONFERENCE CENTER DRIVE –  
NCRSP PCL 40 ROSEVILLE JUNCTION BEER GARDEN – FILE # PL23-0138**

**REQUEST**

The applicant requests a Major Project Permit (MPP) Stage 2 to review the site details and elevations for the Roseville Junction Beer Garden, which will consist of multiple tenants in approximately 3,360 sf of repurposed shipping container buildings. The MPP Stage 1 approval for Roseville Junction was under File #PL21-0153.

Applicant – Greg Bardini, Morton & Pitalo  
Property Owner – Chirayu Patel, APRR Management

**SUMMARY RECOMMENDATION**

The Planning Division recommends that the Planning Commission take the following actions:

1. Adopt the two (2) findings of fact and approve the MPP Stage 2 subject to seventy-three (73) conditions of approval.

**SUMMARY OF OUTSTANDING ISSUES**

There are no outstanding issues associated with this request. The applicant has reviewed and is in agreement with all recommended conditions of approval.

**BACKGROUND**

The project site is located at 350 Conference Center Drive on Parcel 40A within the North Central Roseville Specific Plan (NCRSP) at the terminus of Conference Center Drive (see Figure 1). The 11-acre property has a Zoning Designation of Community Commercial/Special Area-North Central Roseville Specific Plan (CC/SA-NC) and land use designation of Business Professional/Community Commercial (BP/CC). The site is bordered by Highway 65 to the north, open space Parcel 82 to the east (Westfield Galleria Mall beyond), vacant parcels to the south (Hyatt Place beyond), and Villasport to the west (see Figure 1).

On July 5, 1990, the North Central Roseville Specific Plan (NCRSP) was adopted by the City Council. The NCRSP established a land use designation of Business Professional/Community Commercial and a zoning designation of Community Commercial/Special Area-North Central Roseville Specific Plan (CC/SA-NC) for Parcel 40. The NCRSP anticipated Parcel 40 to be developed with a hotel, conference center, or other large users that would complement the adjacent businesses.


The City acquired Parcel 40A in December 2011 with the intent to develop a hotel and conference center project on the site, consistent with the NCRSP. After extensive public outreach, the City Council approved a MPP Stage 1 and 2 on August 6, 2014 for development of an approximately 250 room, 10 story, 175,000 square foot hotel with an approximately 35,000 square foot conference center facility. The Roseville Hotel and Conference Center Project Environmental Impact Report (SCH #2013112058) was adopted for the project at the same City Council hearing.

In December 2020, the site was sold to a private developer, who proposed the development of the site with two hotels and multiple restaurant uses as anticipated in the North Central Roseville Specific Plan. On September 9, 2021, the Planning Commission approved a Major Project Permit Stage 1 for the site plan of the Roseville Junction development (File #PL21-0153), which included five buildings: Hotel 1 (132 rooms, 5 stories, 80,100 sf), Hotel 2 (123 rooms, 5 stories, 61,500 sf), Restaurant 1 & 2 (6,000 sf each), Restaurant 3 (8,000 sf and 8 pickle ball courts), and an event space that will feature a beer garden and modular container buildings in a configuration to be determined.

On September 14, 2023, the Planning Commission approved the first Major Project Permit Stage 2 within Roseville Junction for the architecture and landscape design of the Restaurant 3 pad, which will be occupied by Electric Pickle (File #PL23-0052). On December 14, 2023, the Planning Commission approved a Major Project Permit Stage 1 Modification and Major Project Permit Stage 2 for the two hotels (File #PL23-0054).

The current request is for a Major Project Permit Stage 2 to evaluate the architecture and landscape design for Parcel 6, which will be occupied by a beer garden featuring multiple tenants.

**Figure 1: Project Location**



## **EVALUATION**

The intent of the Major Project Permit (MPP) process is to streamline the review of large and diverse projects that could be constructed over a period of several years. The MPP process allows for the resolution of site issues prior to the review of more detailed architectural and landscape issues that may not be finalized at the time the site plan is ready. The project previously received approval of Stage 1 for site design, grading and utilities. The evaluation section of this report includes an analysis of the requested MPP Stage 2 entitlement. The MPP Stage 2 entitlement is analyzed for its consistency with the goals and policies of the applicable regulations, including the General Plan, the Zoning Ordinance, the Community Design Guidelines (CDG), and the North Central Roseville Specific Plan (NCRSP).

**MPP Stage 2**

Stage 2 of the Major Project Permit includes the review of the architectural design and landscape treatments. The project has been evaluated based upon the applicable design standards of the NCRSP Design Guidelines, the Roseville Junction Design Guidelines, and the City’s Community Design Guidelines (CDG’s). The total enclosed building area on the site will be approximately 3,360 and includes eight separate structures made of repurposed shipping containers. The overall beer garden footprint is approximately 12,378 square feet and includes an approximately 4,400 sf outdoor seating area beneath a canopy in the center of the parcel. New landscaping and pathways will be installed around the site. The details of the building architecture and landscaping are further evaluated below.

**Parking:** Typically, parking is reviewed with the Stage 1 approval of a commercial center. However, Stage 2 approval often includes additional details that require an update to the parking calculations for the center. The Zoning Ordinance outlines the parking requirements based on use type and an associated ratio per the square footage of each such use type. Within the Roseville Junction center, parking is shared among all tenants per a reciprocal parking agreement. The amount of parking required for the center is therefore based on the cumulative parking requirements of each use type.

On December 14, 2023, The Planning Commission approved an Administrative Permit for a Parking Reduction to allow a reduced parking requirement for the two Hyatt hotels within the development (File #PL23-0054). The reduction allowed the hotels to use a ratio of .8 spaces per room rather than the 1.0 spaces per room required by code.

With review of that parking reduction, staff included a tentative parking requirement for the beer garden parcel of 44 spaces. The beer garden use is somewhat unique within the City. The project consists of a group of eight separate container buildings with various uses such as restaurant, restroom, utilities, and storage. Unlike a typical restaurant use, there is no indoor seating and all seating is located outdoors under a covered seating area. Staff applied a parking requirement of 44 spaces based on a ratio of 1 space per 100 square feet of the seating area. The current proposal is consistent with that assumption. Therefore, there is no parking shortfall within the center as shown in Table 1.

**Table 1. Project Parking**

Parcel/Use	Area	Ratio	Required
Parcel 1 Hotel	60,050 sf 122 Rooms	.8* per room plus additional as required for other uses in the facility	98
Parcel 2 Hotel	77,765 sf 126 Rooms	.8* per room plus additional as required for other uses in the facility	101
Parcel 3 Restaurant	6,000 sf	1/100 sf	60
Parcel 4 Restaurant	5,600 sf	1/100 sf	56
Parcel 5 Restaurant and Pickle Ball	12,300 sf restaurant plus 9 courts	1/100 plus 2 per court	141
Parcel 6 Beer Garden	4,400 sf	1/100 of restaurant area	44
<b>Total Required</b>			<b>500</b>
<b>Total Provided</b>			<b>500</b>
<b>Total Surplus</b>			<b>0</b>
*Per Parking Reduction (File #PL23-0054)			

As demonstrated in the above table, the current proposal remains in compliance with the Zoning Ordinance parking standards. Based on the above information, staff finds adequate parking is available to support the project.

**Architecture:** The CDGs suggest that projects with multiple buildings develop an architectural theme throughout the project. Therefore, the MPP Stage 1 application established a set of Roseville Junction Design Guidelines with a master color and material palette that would be incorporated into future building elevations (see Attachment 1). The palette for Roseville Junction includes three materials, faux vintage wood veneer, precast concrete and metal accents as well as two colors Sherwin Williams Alabaster and Urban Bronze. The limited colors and materials were approved as a starting point, knowing that future uses would require additional colors and materials while adhering to the overall design theme. In the design guidelines the “aesthetic was inspired by metal heavy modern industrial” design. The proposed repurposed metal shipping containers of the beer garden project are consistent with the modern industrial aesthetic of Roseville Junction. Repurposed shipping containers are featured in images throughout the design guidelines and were anticipated as a construction type. However, the intent of the design guidelines was not to use just shipping containers without any additional cladding. Rather, metal is intended to be an architectural accent. Thus, the applicant proposes to cover the ends of the containers in wood cladding and leave the center of each container exposed as an accent (Figure 2). The metal area is proposed to be painted with graphics, though the graphics are not part of this approval. Staff has added Condition of Approval #65 requiring the applicant to receive a letter of approval from the Planning Manager before application of any custom graphics.

**Figure 2. Typical Beer Garden Elevation (Entry 1)**



In addition to the metal container and wood cladding, each structure will include a roof screen to shield the view of any mechanical equipment needed for the use. The screen will be painted black consistent with a painted metal fence that will link the container buildings and create an enclosed space. The fence will provide views into the project and visual relief from the container elevations by creating space between them. Entrance to the project will be through two gates with signage above located at the south and north of the project (Figure 3). The covered seating area will also feature black metal consistent with the fence and equipment screens.


The proposed beer garden architecture is consistent with the City’s Design Guidelines by providing a mix of materials and by adhering to the architectural theme, colors, and materials of the Roseville Junction Design Guidelines and previously approved buildings.

**Figure 3. Proposed View from Southeast (Entry 1)**



**Landscaping:** A preliminary landscape plan was approved as part of the MPP Stage 1 and included within the Roseville Junction Design Guidelines. Consistent with that approval, and the approved footprints for the buildings, the project developer submitted improvement constructions plans for the drive aisles, walkways, and landscape surrounding the future beer garden project. Therefore, the landscape associated with the current Major Project Permit Stage 2 submittal is just for those limited plantings located within the boundaries of the beer garden. Figure 4 is provided for reference to show what plantings and walkways will be located surrounding the project.

**Figure 4. Phase 1 Landscape Plan (Left) and Proposed Beer Garden Landscape Plan (Right)**



The developer used approved parking lot shade trees and shrubs surrounding much of the project to provide shade as well as provide visual variation in front of the container buildings. The landscape adjacent to the public way on Conference Center Dr. contains a mix of shrubs of varying heights as well as a row of palm trees, which create a unique accent to the entrance. In addition, the beer garden project proposes a row of privet hedges along the southern border to create an open active area, which will be covered in turf. Figure 5 provides a simulation of the view into the project from the public way. Staff finds the landscape to provide an attractive view from the public way with a varied planting plan.

**Figure 5. View from South Project Entry**



**MPP Stage 2 Summary:** Section 19.82.03.C.2 of the City of Roseville Zoning Ordinance requires that two findings be made to approve a MPP Stage 2. The two findings for approval are contained in the Recommendation section of this report. In summary, staff finds that the architecture and landscape plans for the Roseville Junction Beer Garden are consistent with the NCRSP Design Guidelines, Roseville Junction Design Guidelines and the CDG's and will not be detrimental to the public health and safety or welfare, as described in detail above. As proposed and conditioned, the project complies with the required findings for approval. For these reasons, staff recommends approval of the MPP Stage 2 request.

### **PUBLIC OUTREACH**

The proposed project was distributed to the various agencies and departments which have requested notice of City applications, and all comments were considered and incorporated into the Conditions of Approval, as appropriate. Early notice of the application was also distributed to the Roseville Coalition of Neighborhood Associations. A public notice of the Planning Commission hearing was published on December 28, 2023, and was distributed to all property owners and residents within 300 feet of the project site. No concerns were reported by the time of staff report publication.

### **ENVIRONMENTAL DETERMINATION**

Consistent with CEQA Guidelines Section 15164, regarding previously certified and adopted Environmental Impact Reports (EIR), an Addendum to the Roseville Hotel and Conference Center Project EIR (SCH #2013112058, certified August 6, 2014) was prepared to cover the minor technical changes and additions necessary to describe the impacts of the Roseville Junction development. The proposed project is consistent with that previously approved addendum.

### **RECOMMENDATION**

The Planning Division recommends the Planning Commission take the following actions:

1. Adopt the two (2) findings of fact as stated below and approve the **MAJOR PROJECT PERMIT STAGE 2 – NCRSP PCL 40 ROSEVILLE JUNCTION BEER GARDEN – 350 CONFERENCE CENTER DRIVE – FILE # PL23-0052** subject to seventy-three (73) conditions of approval.

1. *The Architecture and Landscaping is consistent with the General Plan, North Central Roseville Design Guidelines, and Community Design Guidelines; and*
2. *The design shall not be detrimental to the public, health and safety, or be materially detrimental to the public welfare.*

**CONDITIONS OF APPROVAL FOR MPP STAGE 2 (FILE # PL23-0138)**

1. This Major Project Permit Stage 2 approval shall be effectuated within a period of two (2) years from **January 11, 2024** and if not effectuated shall expire on **January 11, 2026**. Prior to said expiration date, the applicant may apply for an extension of time, provided this approval does not extend the expiration beyond **January 11, 2027**. (Planning)
2. The project is approved as shown in **Exhibit A** and as conditioned or modified below. (Planning)
3. The project shall comply with all required environmental mitigation identified in Roseville Hotel and Conference Center EIR and 1st Addendum, and shall include all applicable mitigation measures as notes on the grading plans. (All Departments)
4. The project shall be addressed as 350 Conference Center Dr. All projects with multi-tenants or buildings must submit a site plan with building footprint(s) to the Development Services Department (Business Services – Addressing) for building/suite addressing. (Business Services)
5. The applicant shall pay City's actual costs for providing plan check, mapping, GIS, and inspection services. This may be a combination of staff costs and direct billing for contract professional services. Project billing may occur up to two (2) months after the end of warranty or the Notice of Termination date for the SWPPP, whichever occurs later. (Engineering, Environmental Utilities, Electric, Finance)
6. The design and construction of all improvements shall conform to the Design and Construction Standards of the City of Roseville, or as modified by these conditions of approval, or as directed by the City Engineer. (Engineering)
7. The applicant shall not commence with any on-site improvements or improvements within the right-of-way until such time as grading and/or improvement plans have been submitted for review and are approved with grading and/or encroachment permits issued by the Department of Development Services – Engineering Division. (Engineering)
8. The approval of this project does not constitute approval of proposed improvements as to size, design, materials, or location, unless specifically addressed in these conditions of approval. The Developer shall submit civil drawings to the Department of Development Services – Engineering Division for review and approval. (Engineering)

**PRIOR TO ISSUANCE OF BUILDING PERMITS:**

9. Parking lot design shall conform to the City's design standards, including the following minimum standards for parking stalls:

- a) All parking stalls shall be double-striped. Parking stalls adjacent to sidewalks, landscaped areas or light fixtures, and all Accessible stalls shall abut a 6-inch raised curb or concrete bumper. (Planning)
  - b) Standard – 9 feet x 18 feet; Compact – 9 feet x 16 feet; Accessible – 14 feet x 18 feet (a 9-foot-wide parking area plus a 5-foot-wide loading area) and a minimum of one (1) parking space shall be Accessible van accessible – 17 feet x 18 feet (9-foot-wide parking area plus an 8-foot-wide loading area). (Planning)
  - c) An 'exterior routes of travel' site accessibility plan incorporating slope, cross-slope, width, pedestrian ramps, curb ramps, handrails, signage, detectable warnings or speed limit signs or equivalent means shall comprise part of the site improvement plans submitted to City for review, prior to building plan check approvals. This site accessibility plan shall also include:
    - i) Accessible parking stalls shall be dispersed and located closest to accessible entrances. The total number of accessible parking spaces shall be established by Table 11B-208.2 of the CBC.
    - ii) Accessible Parking spaces and crosswalks shall be signed, marked and maintained as required by Chapter 11 of the CBC.
    - iii) Accessible parking and exterior route of travel shall comply with CBC, Sections 11B-206 and 11B-208. (Building)
10. Signs and/or striping shall be provided on-site as required by the Planning Department to control on-site traffic movements. Parking lot striping and signage shall be maintained in a visible and legible manner. (Planning)
11. The plans submitted to the Building Division for permits shall indicate all approved revisions/alterations as approved by the Commission including all conditions of approval. (Planning)
12. The project Landscape Plans shall comply with the following:
- a) The Landscape Plan shall indicate the location of, and be designed to avoid conflicts with, all pole-mounted light fixtures and utility equipment including (but not limited to) electric transformers, switchgear, and overhead lines; backflow preventers; fire department connections; and public water, sewer, and storm drain facilities. (Planning, Fire, Environmental Utilities, Electric, Engineering)
  - b) The tree plantings in the parking lot shall be designed to provide a minimum of 50% shade coverage after 15 years. (Planning)
  - c) At a minimum, landscaped areas not covered with live material shall be covered with a rock, (3") bark (no shredded bark) or (3") mulch covering. (Planning)
  - d) The landscape plan shall comply with the Landscape Guidelines for the North Central Roseville Specific Plan and the City of Roseville Water Efficient Landscape Ordinance. (Planning, Environmental Utilities)
  - e) Landscaping adjacent to preserve areas shall consist of California native, drought-tolerant groundcover, shrubs, plants, and trees. (Open Space, Planning)

- f) All landscaping in areas containing electrical service equipment shall conform to the Electric Department's Landscape Requirements and Work Clearances as outlined in Section 10.00 of the Departments "Specification for Commercial Construction." (Electric)
  - g) Slopes within landscape planters shall be no more than 3:1. A two-foot flat bench located at back-of-walk shall be included in the landscape area to slow or allow absorption of nuisance run-off from the planters. (Parks, Recreation, and Libraries)
  - h) All landscaping shall conform to the standards of crime prevention through environmental design with the intent to create natural surveillance, controlling access, and territorial reinforcement to property boundaries. (Police)
13. Any roof-mounted equipment and satellite dishes proposed shall be shown on the building plans. The equipment shall be fully screened from public streets and the surrounding properties. (Planning)
  14. At the time of building permit application and plan submittal, the project applicant shall submit a proposed plan which shows the proposed suite addressing for individual tenant spaces within the building. The Building Official, or the designee, shall approve said plan prior to building permit approval. Refer to the *City of Roseville Addressing Guidelines*. (Building)
  15. A separate Architectural Site Accessibility Plan which details the project's site accessibility information as required by California Title 24, Part 2 shall be submitted as part of the project Building Permit Plans. (Building)
  16. For Multiple Building Complexes: As part of the required Architectural Site Accessibility Plan, the developer shall delineate the extent of the site accessibility improvements being installed as part of the initial improvements for the project, and those that are planned to be developed as part of subsequent phases (i.e. around future pad buildings). (Building)
  17. Building permit plans shall comply with all applicable code requirements (California Building Code – CBC – based on the International Building Code, California Green Building Standards Code– CGBSC, California Mechanical Code – CMC – based on the Uniform Mechanical Code, California Plumbing Code – CPC – based on the Uniform Plumbing Code, California Fire Code – CFC – based on the International Fire Code – with City of Roseville Amendments – RFC, California Electrical Code – CEC – based on the National Electrical Code, and California Energy Standards – CEC T-24 Part 6), California Title 24 and the American with Disabilities Act - ADA requirements, and all State and Federally mandated requirements in effect at the time of submittal for building permits (contact the Building Division for applicable Code editions). (Building)
  18. For restaurants, other food services, or commercial swimming pools: The developer shall obtain all required approvals and permits from the Placer County Health Department and the City of Roseville Industrial Waste Division. (Building, Environmental Utilities)
  19. Maintenance of copy of building plans: Health and Safety Code section 19850 requires the building department of every city or county to maintain an official copy of the building plans for the life of the building. As such, each individual building shall be submitted as a separate submittal package. Building plan review, permit issuance and archiving is based on each individual building address. (Building)
  20. For all work to be performed off-site, permission to enter and construct shall be obtained from the property owner, in the form of a notarized right-of-entry. Said notarized right-of-entry shall be provided to Development Services - Engineering prior to approval of any plans. (Engineering)

21. The Improvement Plans shall include a complete set of Landscape Plans. The Landscape Plans shall be approved with the Improvement Plans. (Planning, Engineering, Fire, Environmental Utilities, Electric)
22. A note shall be added to the grading plans that states:

*“Prior to the commencement of grading operations, the contractor shall identify the site where the **excess/borrow** earthen material shall be imported/deposited. If the **borrow/deposit** site is within the City of Roseville, the contractor shall produce a report issued by a geotechnical engineer to verify that the exported materials are suitable for the intended fill, and shall show proof of all approved grading plans. Haul routes to be used shall be specified.”* (Engineering)
23. The applicant shall dedicate all necessary rights-of-way or Public Utility Easement for the widening of any streets or transfer of public utilities across and over any portion of the property as required with this entitlement. A separate document shall be drafted for approval and acceptance by the City of Roseville, and recorded at the County Recorder’s Office. (Engineering)
24. Bike parking and electric vehicle parking spaces shall be provided per the California Green Building Standards. Carpool spaces shall also be provided per the City of Roseville’s Transportation System Management (TSM) Ordinance, R.M.C Chapter 11.33. Bike rack/locker design and designated parking space markings and location shall be approved by Alternative Transportation. (Alternative Transportation, Building)
25. All storm drainage, including roof drains, shall be collected on site and treated with Best Management Practices (BMP’s) per the City’s Stormwater Quality Design Manual, which includes trash capture requirements. All storm water shall be routed to the nearest existing storm drain system or natural drainage facility. Drain outfalls shall extend down to the receiving water and shall be constructed with adequate velocity attenuation devices. The grading/improvement plans for the site shall be accompanied with a shed map that defines that area tributary to this site and all drainage facilities shall be designed to accommodate the tributary flow. The storm drain system and proposed BMP’s shall be privately owned and maintained by the property owner. Prior to the issuance of any permits, the owner shall enter into a maintenance agreement with the City for the maintenance of the proposed BMP’s. (Engineering)
26. Prior to the approval of the Improvement Plans, the project proponent shall provide proof of preparation and submittal of a Storm Water Pollution Prevention Plan (SWPPP) to the Regional Water Quality Control Board (RWQCB). Proof shall be in the form of the Waste Discharge Identification Number (WDID#), provided to the applicant from RWQCB, placed on the coversheet of the improvement plans. Upon approval of the improvement plans, a copy of the SWPPP shall be required onsite and available for viewing by City inspection staff upon request. (Engineering)
27. The applicant shall remove and reconstruct any existing damaged curb, gutter, and sidewalk along the property frontage. During plan check of the improvement plans and/or during inspection, Development Services - Engineering will designate the exact areas to be reconstructed. Any existing public facilities damaged during the course of construction shall be repaired by the property owner and at the property owner’s expense, to the satisfaction of the City. (Engineering)
28. Improvement plans shall show the Preserve boundary and label it as a protected area. The Pre-Construction meeting shall address the presence of the Preserve, the sensitive habitats present and minimization of disturbance to the Preserve. During grading and construction the preserve area shall be avoided and shall not be used for parking, storage, or project staging. The contractor shall remove all trash blown into the preserve from adjacent construction on a daily basis. After construction is complete, the temporary fencing shall be removed from the preserve, along with all

temporary erosion control measures (e.g., straw bales, straw waddles and stakes, silt fencing). (Engineering, Development Services Department, Planning)

29. Prior to construction within any phase of the project, high visibility temporary construction fencing shall be installed along the parcel adjacent to the Preserve. Fencing shall be maintained daily until permanent fencing is installed, at which time the temporary fencing shall be removed from the project site. (Engineering, Development Services Department, Planning)
30. With the exception of access required for maintenance and/or emergency vehicles, the project shall be designed to prevent vehicle access into the Preserve. Post and cable fencing or other improvements shall be utilized to meet this requirement. (Engineering, Development Services Department, Planning)
31. Prior to the approval of the improvement plans, it will be the project proponent's responsibility to pay the standard City Trench Cut Recovery Fee for any cuts within the City streets that are required for the installation of underground utilities. (Engineering)
32. Prior to the issuance of building permits, the property owner shall pay into the following fee programs: Citywide Drainage Fee, Citywide Traffic Mitigation Fee (TMF), Highway 65 Joint Partners Association (JPA), South Placer Regional Transportation Authority (SPRTA), and City/County Fee. (Engineering)
33. Prior to the issuance of a grading permit or approval of Improvement Plans, the grading plans shall clearly identify all existing water, sewer and recycled water utilities within the boundaries of the project (including adjoining public right of way). Existing utilities shall be identified in plan-view and in profile-view where grading activities will modify existing site elevations over top of or within 15 feet of the utility. Any utilities that could potentially be impacted by the project shall be clearly identified along with the proposed protection measures. The developer shall be responsible for taking measures and incurring costs associated with protecting the existing water, sewer and recycled water utilities to the satisfaction of the Environmental Utilities Director. (Environmental Utilities)
34. The applicant shall pay all applicable water and sewer fees. (Environmental Utilities)
35. Water and sewer infrastructure shall be designed pursuant to the adopted City of Roseville Improvement Standards and the City of Roseville Construction Standards and shall include:
  - a) Utilities or permanent structures shall not be located within the area which would be disturbed by an open trench needed to expose sewer trunk mains deeper than 12 feet unless approved by Environmental Utilities in these conditions. The area needed to construct the trench is a sloped cone above the sewer main. The cone shall have 1:1 side slopes.
  - b) Water, sewer and recycled mains shall not exceed a depth of 12 feet below finished grade, unless authorized in these conditions of approval.
  - c) All sewer manholes shall have all-weather, 10-ton vehicle access unless otherwise authorized by these conditions of approval. (Environmental Utilities)
36. Trash enclosures, recycling areas, and enclosure approaches shall be designed to current Refuse Division specifications, the materials and colors shall match the building, and the location of such facilities shall be reviewed and approved by the Refuse Division, Planning and the Fire Department. The enclosure must have inside dimensions of 12 feet wide and 9 feet deep and be built to the specifications of the Solid Waste Department's Enclosure Description. (Refuse, Planning, Fire)

37. Access to trash enclosures shall have an inside turning radius of 25 feet and an outside turning radius of 45 feet must be maintained to allow the refuse truck access to and from the enclosure. Enclosures must have a clear approach of 65 feet in front of the enclosure to allow servicing bins. (Refuse)
38. A trash enclosure, organics enclosure and recycling enclosure is required for each building and each tenant, otherwise, the building owner is responsible for the trash service. (Refuse)
39. The design and installation of all fire protection equipment shall conform to the California Fire Code and the amendments adopted by the City of Roseville, along with all standards and policies implemented by the Roseville Fire Department. (Fire)
40. The applicable codes and standards adopted by the City shall be enforced at the time construction plans have been submitted to the City for permitting. (Fire)
41. The Electric Department requires the submittal of the following information in order to complete the final electric design for the project:
  - a) one (1) set of improvement plans
  - b) load calculations
  - c) electrical panel one-line drawings
42. All on-site external lighting shall be installed and directed to have no off-site glare. Lighting within the parking areas and pedestrian walkways shall provide a maintained minimum of one (1) foot-candle, and 0.5 foot-candle of light, respectively. All exterior light fixtures shall be vandal resistant. (Planning, Police)
43. The parking lot shall have properly posted signs that state the use of the parking area is for the exclusive use of employees and customers of this project. (See California Vehicle Code Sections 22507.8, 22511.5, 22511.8, 22658(a), and the City of Roseville Municipal Code Section 11.20.110). The location of the signs shall be shown on the approved site plan. (Planning, Police)
44. It is the developer's responsibility to notify PG&E of any work required on PG&E facilities. (PG&E)

**DURING CONSTRUCTION & PRIOR TO ISSUANCE OF OCCUPANCY PERMITS:**

45. Any backflow preventers visible from the street shall be painted green to blend in with the surrounding landscaping. The backflow preventers shall be screened with landscaping and shall comply with the following criteria:
  - a) There shall be a minimum clearance of four feet (4'), on all sides, from the backflow preventer to the landscaping.
  - b) For maintenance purposes, the landscaping shall only be installed on three sides and the plant material shall not have thorns.
  - c) The control valves and the water meter shall be physically unobstructed.
  - d) The backflow preventer shall be covered with a green cover that will provide insulation. (Planning, Environmental Utilities)
46. The following easements shall be provided by separate instrument and shown on the site plan, unless otherwise provided for in these conditions:

- a) Water, sewer, and reclaimed water easements.
  - b) Additional internal easements will be required to cover primary electrical facilities to the project when the final electrical design is completed. (Electric)
47. Easement widths shall comply with the City's Improvement Standards and Construction Standards. Separate document easements required by the City shall be prepared in accordance with the City's "Policy for Dedication of Easements to the City of Roseville". All legal descriptions shall be prepared by a licensed land Surveyor. All existing public utility, electric, water, sewer and reclaimed water easements shall be maintained unless otherwise authorized by these conditions of approval. (Public Works, Environmental Utilities, Electric)
48. Inspection of the potable water supply system on new commercial/industrial/office projects shall be as follows:
- a) The Environmental Utilities Inspector will inspect all potable water supply up to the downstream side of the backflow preventer.
  - b) The property owner/applicant shall be responsible for that portion of the water supply system from the backflow preventer to the building. The builder/contractor shall engage a qualified inspector to approve the installation of this portion of the water supply. The Building Division will require from the builder/contractor, a written document certifying that this portion of the potable water supply has been installed per improvement plans and in accordance with the Uniform Plumbing Code. This certificate of compliance shall be submitted to the Building Division before a temporary occupancy or a building final is approved.
  - c) The building inspectors will exclusively inspect all potable water supply systems for the building from the shutoff valve at the building and downstream within the building. (Building, Environmental Utilities)
49. All improvements being constructed in accordance with the approved grading and improvement plans shall be accepted as complete by the City. (Engineering)
50. The words "traffic control appurtenances" shall be included in the list of utilities allowed in public utilities easements (PUE's) located along public roadways. (Engineering)
51. The applicant/developer shall prepare a Transportation Systems Management (TSM) Agreement for Roseville Junction to be reviewed and approved by the City Manager. (Engineering, Alternative Transportation)
52. Water and sewer shall be constructed pursuant to the adopted City of Roseville Improvement Standards and the City of Roseville Construction Standards. (Environmental Utilities)
53. All water backflow devices shall be tested and approved by the Environmental Utilities Department. (Environmental Utilities)
54. **Restaurants or other Food Service Establishment (FSE).** The applicant shall design for installation and/or install an exterior grease interceptor if the proposed business could potentially discharge substances containing fats, oils and grease (FOG) into the sewer system. The grease interceptor shall be adequate to separate and remove FOG contained in the wastewater from FSE's prior to discharge to the public sewer. (Environmental Utilities)

55. In the event an exterior grease interceptor cannot be installed due to space limitation, the developer shall install a grease trap, per City Standards, that will mechanically separate the FOG contained in the wastewater from the FSE prior to discharge to the public sewer. (Environmental Utilities)
56. Pursuant to the Municipal Code, the applicant shall apply for and obtain a FOG waste discharge permit (FOG WDP) from the Environmental Utilities Industrial Waste Division prior to occupancy or prior to discharging waste to the public sewer. The applicant shall submit information required by the Environmental Utilities Department for evaluation, including but not limited to: site plans, floor plans, mechanical and plumbing plans, and details to show all sewers, FOG control device, grease interceptor or other pretreatment equipment and appurtenances by size, location and elevation. Additional information related to the applicant's business operations and potential discharge may be requested to properly evaluate the FOG WDP application. (Environmental Utilities)
57. All Electric Department facilities, including streetlights where applicable, shall be designed and built to the "City of Roseville Specifications for Commercial Construction." (Electric)
58. The City of Roseville Electric Department has electrical construction charges which are to be paid by the developer and which are explained in the City of Roseville "Specification for Commercial Construction." These charges will be determined upon completion of the final electrical design. (Electric)
59. Any relocation, rearrangement, or change of existing electric facilities due to this development shall be at the developer's expense. (Electric)
60. Any facilities proposed for placement within public/electric utility easements shall be subject to review and approval by the Electric Department before any work commences in these areas. This includes, but is not limited to, landscaping, lighting, paving, signs, trees, walls, and structures of any type. (Electric)
61. All electric metering shall be directly outside accessible. This can be accomplished in any of the following ways:
  - a) Locate the metered service panel on the outside of the building.
  - b) Locate the metered service panel in a service room with a door that opens directly to the outside. The developer will be required to provide a key to the door for placement in a lock box to be installed on the outside of the door. Any doors leading from the service room to other areas of the building shall be secured to prohibit unauthorized entry. (Electric)
62. It is the responsibility of the developer to ensure that all existing electric facilities remain free and clear of any obstruction during construction and when the project is complete. (Electric)

**OTHER CONDITIONS OF APPROVAL:**

63. Signs shown on the elevations are not approved as part of the Design Review Permit. A Sign Permit is required for all project signs. (Planning)
64. Following the installation of the landscaping, all landscape material shall be maintained in a healthy and weed-free condition; dead plant material shall be replaced immediately. All trees shall be maintained and pruned in accordance with the accepted practices of the International Society of Arboriculture (ISA). (Planning)
65. Any graphics or other artwork applied to the exterior of the containers shall require a Letter of Approval from the Planning Manager before installation. (Planning)

66. The required width of fire apparatus access roads shall not be obstructed in any manner, including the parking of vehicles. Minimum required widths and vertical clearances established by the Fire Code shall be maintained at all times during construction. Closure of accesses for fire apparatus by gates, barricades and other devices shall be prohibited unless approved by the Fire Chief. (Fire)
67. Temporary aboveground storage tanks may be used at construction sites for diesel fuel only and shall not exceed 1,000 gallon capacity. Tanks shall comply with all provisions found within the Fire Code. A Fire Department Permit shall be obtained prior to tank installation. The permit shall expire after 90 days from the date of issuance, unless extended by the Fire Chief. (Fire)
68. If site survey or earth moving work results in the discovery of hazardous materials in containers or what appears to be hazardous wastes released into the ground, the contractor or person responsible for the building permit must notify the Roseville Fire Department immediately. A representative from the Fire Department will make a determination as to whether the incident is reportable or not and if site remediation is required. (Fire)
69. The location and design of the gas service shall be determined by PG&E. The design of the gas service for this project shall not begin until PG&E has received a full set of City approved improvement plans for the project. (PG&E)
70. The project is subject to the noise standards established in the City's Noise Ordinance. In accordance with the City's Noise Ordinance, project construction is exempt between the hours of seven a.m. and seven p.m. Monday through Friday, and between the hours of eight a.m. and eight p.m. Saturday and Sunday, provided that all construction equipment shall be fitted with factory installed muffling devices and be maintained in good working order. (Building)
71. The developer (or designated consultant) shall certify that the building foundation location has been placed according to all approved setback requirements shown on the approved site plan. The developer shall prepare a written statement confirming building placement and provide an original copy to the City Building Division Field Inspector at the time of or prior to the foundation inspection. (Building)
72. Prior to Certificate of Occupancy, the applicant may apply for a Temporary Certificate of Occupancy (TCO) of the building. If a TCO is desired, the applicant must submit a written request to the Building Division a minimum of thirty (30) days prior to the expected temporary occupancy date and shall include a schedule for occupancy and a description of the purpose for the Temporary Certificate of Occupancy. (Building)
73. Concurrent with submittal for plan check and prior to a request for final building inspection, the applicant may request City approval of an occupancy phasing plan to allow individual or multiple building occupancies. This request shall be made in writing to the Building Division and shall include the following:
  - a) A description of measures that will be undertaken to minimize conflict between residents/building occupants and construction traffic (e.g. fencing, etc.);
  - b) A phasing plan showing the proposed buildings, internal roads and access routes, landscaping, trash enclosure locations, and any other improvements planned for each phase; and
  - c) An estimated time frame for each phase and a specific date for the first phase. (Planning, Building)

**ATTACHMENTS**

1. Roseville Junction Design Guidelines

**EXHIBITS**

- A. Project Plans

**Note to Applicant and/or Developer:** Please contact Planning Division staff at (916) 774-5276 prior to the Commission meeting if you have any questions on any of the recommended conditions for your project. If you challenge the decision of the Commission in court, you may be limited to raising only those issues which you or someone else raised at the public hearing held for this project, or in written correspondence delivered to the Planning Manager at, or prior to, the public hearing.