

## Permit Exemptions

Exemption from permit requirements shall not be deemed to grant authorization for any work to be done in any manner in violation of the code provisions or any other laws or ordinance of the City of Roseville.

Permits shall not be required for the following:

- Other than storm shelters, one-story detached accessory structures, used as tool and storage sheds, playhouses, and similar uses, provided the floor area does not exceed 120 square feet (11.15 m<sup>2</sup>). *(Setbacks from property lines or rights of way may be applicable. Contact the Planning Division for information.)* \*
- Fences, other than swimming pool barriers, not over 7 feet (1829 mm) high. \*
- Oil derricks. \*
- Retaining walls that are not over 4 feet (1219 mm) in height measured from the bottom of the footing to the top of the wall, unless supporting a surcharge or impounding Class I, II or IIIA liquids.
- Water tanks (**not** including hot water heaters) supported directly upon grade if the capacity does not exceed 5,000 gallons (18 925 L) and the ratio of height to diameter or width does not exceed 2:1. \*
- Sidewalks and driveways not more than 30 inches (762 mm) above adjacent grade and not over any basement or story below and are not part of an accessible route.
- Decks accessory to a Group R-3 occupancy not exceeding 200 square feet (18.58 m<sup>2</sup>) in area, that are not more than 30 inches (762 mm) above grade at any point, are not attached to a dwelling or townhouse and do not serve the exit door required by CRC R318.4.
- Painting, papering, tiling, carpeting, cabinets, counter tops and similar finish work.
- Temporary motion picture, television and theater stage sets and scenery.
- Prefabricated swimming pools accessory to a Group R-3 occupancy that are less than 24 inches (610 mm) deep, do not exceed 5,000 gallons (18 925 L) and are installed entirely above ground. \*
- Shade cloth structures constructed for nursery or agricultural purposes, not including service systems. \*
- Swings and other playground equipment accessory to detached one- and two-family dwellings.
- Window awnings in Group R-3 and U occupancies, supported by an exterior wall that do not project more than 54 inches (1372 mm) from the exterior wall and do not require additional support.
- Nonfixed and movable fixtures, cases, racks, counters and partitions not over 5 feet 9 inches (1753 mm) in height.

\* Please contact Floodplain Management at 916-746-1300 for additional requirements for proposed projects located within the City's Regulatory Floodplain and/or FEMA's SFHA floodplain.