

**DRAFT DELINEATION OF AQUATIC RESOURCES**

**1010 Main Street Development Project**

Placer County, California

**July 2022**



Prepared for:

**Pat Laughlin**

591 Colusa Avenue  
Yuba City, CA 95991

Prepared by:

**Gallaway Enterprises**

117 Meyers Street, Suite 120  
Chico CA 95928  
530-332-9909

[www.gallawayenterprises.com](http://www.gallawayenterprises.com)

## Contents

Introduction and Property Location .....	1
Environmental Setting and Site Conditions .....	1
Survey Methodology.....	4
Determination of Hydrophytic Vegetation .....	4
Determination of Hydric Soils .....	6
Determination of Wetland Hydrology .....	6
Determination of Ordinary High Water Mark.....	6
Determination of Wetland Boundaries in Difficult Wetland Situations .....	7
Aquatic Resource Boundary Determination and Acreage Calculation .....	7
Non-Wetland and Non-Jurisdictional Feature Boundary Determination .....	7
Results.....	8
Waters of the United States: Other Waters .....	8
Waters of the United States: Wetlands .....	10
Soils .....	11
Vegetation.....	11
Hydrology.....	12
Site Photos Taken on April 13 and July 07, 2022 .....	13
Glossary.....	16
References .....	21

## List of Tables

Table 1. Summary of the Draft Delineation of Aquatic Resources Results for the 1010 Main Street Development Project .....	10
Table 2. Soil Map Units, NRCS hydric soil designation, and approximate totals for the 1010 Main Street Development Project .....	11

**List of Figures**

Figure 1 - Regional Location Map ..... 2  
Figure 2 - Project Location Map..... 3  
Figure 3 - Photo Point Location Map ..... 5  
Figure 4 - Draft Delineation of Aquatic Resources Map ..... 9

**List of Appendices**

- Appendix A: Wetland Delineation Data Sheets
- Appendix B: NRCS Soil Map and Soil Series Descriptions

# DRAFT DELINEATION OF AQUATIC RESOURCES,

1010 Main Street Development Project, Placer County, California

## Introduction and Property Location

Gallaway Enterprises conducted a delineation of aquatic resources including waters of the United States (WOTUS) and waters of the State (WOTS) for the 1010 Main Street Development Project (Project) site consisting of an approximately 4-acre survey area (APN 015-080-026). The Project site is located at 1010 Main Street, west of Porter Drive, within the city of Roseville, CA (**Figure 1 and 2**). The Project is within the “Roseville” United States Geological Survey (USGS) Quadrangle within Sections 34, Township 11N, Range 06E (38.75343, -121.30204).


The Project site is accessible via Main Street in Roseville, CA. To access the site from Highway 80 heading east, take exit 102 to merge onto Riverside Avenue heading north. Make a left onto Cirby Way, and then make a right onto Foothills Boulevard. In approximately 1.7 miles take a right onto Main Street. The Project site will be on the left-hand side of the road, just past the intersection of Main Street and Porter Drive.

A survey of WOTUS was conducted on April 13 and July 07, 2022 by Senior Botanist Elena Gregg and Botanist Christopher Belko. Data regarding the location and extent of waters of the United States and other aquatic resources were collected using a Trimble Geo Explorer 6000 Series GPS Receiver. The survey involved an examination of botanical resources, soils, hydrological features, and determination of wetland characteristics based on the *United States Army Corps of Engineers Wetlands Delineation Manual (1987)* (1987 Delineation Manual); the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (2008)* (Arid West Manual); the *U.S. Army Corps of Engineers Jurisdictional Determination Form Instructional Guidebook (2007)*; the *Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States (2008)*, and the *2020 Arid West Regional Wetland Plant List* and the *2020 National Wetland Plant List*. Gallaway Enterprises have prepared this report in compliance with the Minimum Standards for Acceptance of Aquatic Resources Delineation Reports (January 2016).

## Environmental Setting and Site Conditions

The Project site is generally characterized as a disturbed urban environment surrounded by development including dense residential subdivisions and a school. The Project site contains scattered almond trees (*Prunus dulcis*) interspersed within a historically disturbed valley oak (*Quercus lobata*) woodland with an understory of non-native annual grassland. An existing residential building with a yard is present in the southeastern corner of the Project site. The Project site is primarily flat to slightly sloped with a series of pronounced man-made mounds/spoils piles in the northern half of the Project site. A few wetlands occur within the northern of the Project site, many of which are associated with the spoils piles. An intermittent drainage runs south along the northwestern boundary of the site before exiting the site to the southwest.

The average annual precipitation for the area is 16.17 inches and the average temperature is 61.6° F (NCEI 2022) in the region where the survey area is located. The Project site is at an elevation of 146 to 151 feet above sea level and is sloped between 1 to 5 percent. Soils within the survey area are primarily loams and sandy loams with a restrictive layer ranging from 20 to more than 80 inches in depth.



Project Location

Project Location



Project Boundary - (4.02 acres)

USGS 7.5' Quad: Roseville  
T11N, R06E, Section 33,34  
UTM Zone 10



1:24,000

0 0.25 0.5 Miles


NORTH

Data Sources: ESRI, USGS, Placer County


1010 Main Street Development Project  
Regional Location  
Figure 1



GE: #22-100 Map Date: 07/11/2022



Project Boundary - (4.02 acres)


 1:1,500  
 0 50 100 Feet  
 Data Sources: ESRI, City of Roseville  
 04/22/2019, Placer County

1010 Main Street Development Project  
 Project Location  
 Figure 2



## Survey Methodology

The entire Project site was surveyed on-foot by Gallaway Enterprises staff on April 13 and July 07, 2022 to identify any potentially jurisdictional features. The survey, mapping efforts, and report production were performed according to the current valid legal definitions of WOTUS in effect as of September 20, 2021. The boundaries of non-tidal, non-wetland waters, when present, were delineated at the ordinary high water mark (OHWM) as defined in 33 Code of Federal Regulations (CFR) 328.3. The OHWM represents the limit of United States Army Corps of Engineers (Corps) jurisdiction over non-tidal waters (e.g., streams and ponds) in the absence of adjacent wetlands (33 CFR 328.04) (Curtis, et. al. 2011). Historic aerial photographs available on Google Earth were analyzed prior to conducting the field visit. Areas identified as having potential wetland or unusual aerial signatures were assessed in the field to determine the current conditions.

Field data were entered onto data sheets using the most current format (**Appendix A**). Wetland perimeters based on the 1987 Delineation Manual and the Arid West Manual were recorded and defined according to their topographic and hydrologic orientation. Sample points were established for each wetland and corresponding upland zone for all wetland features. In addition, test pit sampling was performed and/or photographs were taken in areas displaying potential wetland signatures on aerial photographs and depressional topography. At each sampling point/test pit the data collected involved physical sampling of soils, recording dominant vegetation, and investigation regarding wetland hydrology indicators and hydrological connectivity. Only areas exhibiting the necessary wetland parameters according to the 1987 Delineation Manual and Arid West Manual on the date surveyed were mapped as wetlands. Photographs were taken to show wetland features, test pit areas, and/or areas identified as having unusual aerial signatures. The locations of the photo points are depicted in **Figure 3** and the associated photographs are provided at the end of the report.

Many of the terms used throughout this report have specific meanings relating to the federal wetland delineation process. Term definitions are based on the Corps 1987 Delineation Manual; the Arid West Manual; *Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States*, (Lichvar and McColley 2008) and the Corps *Jurisdictional Determination Form Instructional Guidebook* (2007). The terms defined below have specific meaning relating to the delineation of WOTUS as prescribed by §404 of the Clean Water Act (CWA) and described in 33 CFR Part 328 and 40 CFR Parts 110, 112, and 116, and 122.

### Determination of Hydrophytic Vegetation


The presence of hydrophytic vegetation was determined using the methods outlined in the 1987 Delineation Manual and the Arid West Manual. Areas were considered to have positive indicators of hydrophytic vegetation if they pass the dominance test, meaning more than 50 percent of the dominant species are obligate wetland, facultative wetland and facultative plants. Plant species were identified to the lowest taxonomy possible. Plant indicator status was determined by reviewing the 2020 Arid West Region Wetland Plant List and the 2020 National Wetland Plant List. In situations where dominance can be misleading due to seasonality, the prevalence index will be used to determine hydrophytic status of the community surrounding sample sites.


#### **Plant indicator status categories:**


*Obligate wetland plants* (OBL) – plants that occur almost always (estimated probability 99%) in wetlands under normal conditions, but which may also occur rarely (estimated probability 1%) in non-wetlands.


*Facultative wetland plants* (FACW) - plants that usually occur (estimated probability 67% to 99%) in

Ground Photographs Table				
Label	Direction	Latitude	Longitude	Comment
P01	NW + SW	38.752568	-121.302047	Upland
P02	N	38.752994	-121.301979	Upland
P03	N + S	38.753354	-121.301958	Upland
P04	SE	38.753447	-121.302370	Soil Mounds and OW01
P05	S + N	38.753853	-121.302067	Upland Soil Mounds
P06	S	38.754045	-121.301862	Upland
P07	N	38.754079	-121.302200	Intermittent Drainage
P08	N	38.754096	-121.302099	Seasonal Mounds and OW01
P09	N	38.754116	-121.302035	Seasonal Sw ale
P10	N	38.754249	-121.301991	TP01
P11	S	38.754366	-121.302011	Seasonal Sw ale
P12	SE + NW	38.754396	-121.302073	Seasonal Sw ale
P13	S	38.754490	-121.302034	Seasonal Sw ale
P14	SE	38.754684	-121.302177	Upland
P15	W + S	38.754814	-121.302387	Upland



 Project Boundary - (4.02 acres)

 Photo Point - P#

 1:1,500  
 0 50 100 Feet  
 Data Sources: ESRI, City of Roseville  
 04/22/2019, Placer County

1010 Main Street Development Project  
 Ground Photographs  
 Figure 3



wetlands under normal conditions, but also occur (estimated probability 1% to 33%) in non-wetlands.

*Facultative plants* (FAC) – Plants with a similar likelihood (estimated probability 33% to 67%) of occurring in both wetlands and non-wetlands.

*Facultative upland plants* (FACU) – Plants that occur sometimes (estimated probability 1% to 33%) in wetlands, but occur more often (estimated probability 67% to 99%) in non-wetlands.

*Obligate upland plants* (UPL) – Plants that occur rarely (estimated probability 1%) in wetlands, but occur almost always (estimated probability 99%) in non-wetlands under natural conditions.

### **Determination of Hydric Soils**

Soil survey information was reviewed for the current site condition. The field samples was evaluated by using the Munsell soil color chart (2009 Edition), hand texturing, and assessing soil features (e.g. oxidized root channels, evidence of hardpan, Mn and Fe concretions). Information regarding local soil and series descriptions is provided in **Appendix B**. Numerous soil pits (**Appendix A**) were dug portions of the site that exhibited concave or swale-like micro-topography. The current Natural Resources Conservation Service (NRCS) *Field Indicators of Hydric Soils in the United States, Version 8.2* (NRCS 2018) was used in conjunction with the Arid West Manual to determine the presence of hydric soil indicators within these soil pits.

### **Determination of Wetland Hydrology**

Wetland hydrology was determined to be present if a site supported one or more of the following characteristics:

- Landscape position and surface topography (e.g. position of the site relative to an up-slope water source, location within a distinct wetland drainage pattern, and concave surface topography),
- Inundation or saturation for a long duration either inferred based on field indicators or observed during repeated site visits, and
- Residual evidence of ponding or flooding resulting in field indicators such as scour marks, sediment deposits, algal matting, surface soil cracks and drift lines.

The presence of water or saturated soil for approximately 12% or 14 consecutive days during the growing season typically creates anaerobic conditions in the soil, and these conditions affect the types of plants that can grow and the types of soils that develop (Wetland Training Institute 1995).

Historic aerial photographs were analyzed to look for primary and secondary wetland hydrology indicators of inundation or saturation. The historic aerial imagery reviewed was the public, readily available imagery provided on Google Earth. If aerial signatures demonstrated the presence of surface water on one or more of the historic aerial photographs viewed, inundation and a primary indicator of wetland hydrology was determined to be present. Saturation, a secondary indicator of wetland hydrology, was determined to be present if saturation, “darker patches within the field,” were observed on one or more of the historic aerial photographs viewed and the presence of hydric soils was confirmed in these areas during the field survey.

### **Determination of Ordinary High Water Mark**

Galloway utilized methods consistent with the Arid West Manual and *Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States, (2008)* to determine the OHWM. The lateral extents of non-tidal water bodies (e.g. intermittent and ephemeral streams) were based on the OHWM, which is “the line on the shore established by the fluctuations of

water” (Corps 2005). The OHWM was determined based on multiple observed physical characteristics of the area, which can include scour, multiple observed flow events (from current and historical aerial photos), shelving, and changes in the character of soil, presence of mature vegetation, deposition, and topography. Due to the wide extent of some floodplains, adjacent riparian scrub areas characterized by hydric soils, hydrophytic vegetation, and hydrology may be included within the OHWM of a non-tidal water body (Curtis, et. al. 2011). Inclusion of minor special aquatic areas is an acceptable practice as outlined in the Arid West Manual.

Representative OHWM widths were measured in the field in feet incrementally throughout each drainage feature mapped as required by the Corps *Final Map and Drawing Standards for the South Pacific Division Regulatory Program* (2012). The widths measured in the field were used to ensure that other waters of the United States identified within the Project site are mapped and calculated at the appropriate average width for each channel segment based on the Corps definition of OHWM as defined in the Arid West OHWM Field Guide and the *Ordinary High Water Mark Identification RGL 05-05 (2005)* (RGL 05-05). When the average width of a feature changes, this change is shown on the delineation map as a feature transition and a new average channel width is determined.

### **Determination of Wetland Boundaries in Difficult Wetland Situations**

The difficult wetland situation procedures for determining hydrophytic vegetation per the Arid West Manual were used when mapping the boundary of wetlands within the Project site due to the extreme drought conditions experienced in California in 2022 (NOAA 2022). To aid in the determination, spatial patterns, analysis of aerial photographs, topography, and landscape position were used in conjunction with vegetation data to determine the wetland boundary. Areas where wetland vegetation or wetland hydrology was lacking but where the landscape position was likely to concentrate water were closely inspected. Gallaway Enterprises mapped these areas as wetlands if hydric soil indicators were detected and at least one other hydric indicator was present (i.e. wetland hydrology or hydrophytic vegetation).

### **Aquatic Resource Boundary Determination and Acreage Calculation**

The wetland-upland boundary was determined based on the presence or inference of positive indicators of all mandatory criteria. The site was traversed on foot to identify wetland features and boundaries. The spatial data obtained during the preparation of this wetland delineation was collected using a Trimble Geo Explorer 6000 Series GPS Receiver. No readings were taken with fewer than 5 satellites. Point data locations were recorded for at least 25 seconds at a rate of 1 position per second. Area and line data were recorded at a rate of 1 position per second while walking at a slow pace. All GPS data were differentially corrected for maximum accuracy. In some cases, when visual errors and degrees of precision are identified due to environmental factors negatively influencing the precision of the GPS instrument (i.e. dense tree cover, steep topography, and other factors affecting satellite connection) mapping procedures utilized available topographic and aerial imagery datasets in order to improve accuracy in feature alignment and location.

### **Non-Wetland and Non-Jurisdictional Feature Boundary Determination**

Areas were determined to be non-wetlands if they did not meet the necessary wetland test parameters (hydrophytic vegetation, hydric soil, and wetland hydrology) (33 CFR 328.4) and were determined to be potentially non-jurisdictional if they were consistent with the description of non-jurisdictional features as presented in the *Corps Jurisdictional Determination Form Instructional Guidebook* (2007).

During the delineation, swale-like depressions were observed at the toe of the spoil piles in the northern section of the Project site. However, the majority of the depressions lacked hydrophytic vegetation and

indicators of wetland hydrology, or any evidence of an OHWM. A test pit (TP01) was taken in the deepest part of one such marginal depression to assess the wetland indicators present. The sampled point was the only portion of the depression with a small amount of algal crusting present and did not meet the requirements for hydrophytic vegetation. Since the deepest point of the depression did not meet the necessary criteria to be determined a wetland, the similar marginal depressions with less hydrological indicators were also considered non-wetland/upland. Field observations recorded at the test pit is included in the data sheet forms presented in **Appendix A**.

There were three deeper depressions located at the toe of spoil piles in the northern portion of the Project site that did meet all three wetland parameters and were mapped as wetland features (WF01-WF03, **Figure 4**). Although these three wetlands met the necessary wetland parameters, they are completely isolated features with upland soil mounds/spoil piles separating these wetlands and preventing any surface hydrologic connection to adjacent aquatic resources. Due to the highly isolated nature of these three wetlands, they meet the criteria to be considered by the Corps potentially non-jurisdictional features. To confirm the jurisdictional status of WOTUS within the Project site, a significant nexus determination would need to be conducted by the Corps.

Photo points were taken of these features to demonstrate the current site conditions at these locations on the Project site (**Figure 3**).

## Results

**Table 1** Summarizes the area calculations for the pre-jurisdictional features within the Project site. A complete Draft Delineation of Aquatic Resources map, utilizing a 1" to 125' scale, is included as **Figure 4**.

### Waters of the United States: Other Waters

One feature (OW01) was identified as an "other waters of the United States" (OW) within the Project site. The area and linear footage data associated with this feature is provided in **Table 1**. Other waters of the United States are seasonal or perennial water bodies, including lakes, stream channels, ephemeral and intermittent drainages, ponds, and other surface water features that exhibit an ordinary high-water mark, but lack positive indicators for one or more of the three wetland parameters (hydrophytic vegetation, hydric soil, and wetland hydrology) (33 CFR 328.4). The boundaries of all other waters identified within the Project site were delineated based on the observed OHWM, including physical characteristics such as natural lines impressed on the bank, shelving, changes in the character of the soil, the destruction of terrestrial vegetation, debris lines and other appropriate indicators.

OW01 is an intermittent drainage originates in the northwest corner of the Project site and flows south through the northwestern portion of the Project site. This drainage then continues offsite and flows parallel to the southwestern boundary of the Project site until it flows into a culvert under Main Street. The OW feature identified within the Project site exhibited a discontinuous OHWM and was observed to contain appropriate morphology of bed, bank and scour. No water was observed within OW01 during the April or July field visits.

Draft Delineation of Aquatic Resources								
Wetland Features								
Label	Cowardin	Description	Location (Lat, Long)		Width +	Length (ft)	Area (sq ft)	Acres
WF01	PEM	Seasonal Swale	38.754167	-121.302026	N/A	N/A	188.8	0.004
WF02	PEM	Seasonal Swale	38.754324	-121.302062	N/A	N/A	102.1	0.002
WF03	PEM	Seasonal Wetland	38.754529	-121.302116	N/A	N/A	449.5	0.010
WF04	PEM	Seasonal Swale	38.754655	-121.302320	N/A	N/A	713.3	0.016
WF05	PEM	Seasonal Wetland	38.753397	-121.302323	N/A	N/A	172.0	0.004
Seasonal Swale Totals =							1004.3	0.023
Seasonal Wetland Totals =							621.5	0.014
Wetland Features =							1625.8	0.037
Other Waters								
OW01	R4	Intermittent	38.753692	-121.302255	N/A	N/A	3253.7	0.075
Other Waters Totals =							3253.7	0.075
Aquatic Resources Totals =							4879.5	0.112

+ Widths are represented as averages

\*See Figure 3, Ground Photographs Map, for additional information on Photo Points.

The features represented on this graphic are considered preliminary until verified by the USACE.

Coordinate System: NAD1983 California State Plane II (Feet)  
 Projection: Lambert Conformal Conic  
 Datum: North American 1983  
 Vertical Datum: NAVD 88

Made in accordance with the Updated Map & Drawing Standards for the South Pacific Division Regulatory Program

- Project Boundary - (4.02 acres)
- Photo Points - P#
- ▶ Flow Direction
- 5 foot Contour

**Data Points**



- Test Pit
- Upland
- Wetland

**Other Waters - OW# - (0.075 acres)**

- Intermittent - (0.075 acres)

**Wetland Features - WF# - (0.037 acres)**

- Seasonal Swale - (0.023 acres)
- Seasonal Wetland - (0.014 acres)



1010 Main Street Development Project  
 Draft Delineation of Aquatic Resources  
 Figure 4

**Table 1. Summary of the Draft Delineation of Aquatic Resources Results for the 1010 Main Street Development Project.**

Draft Delineation of Aquatic Resources						
Wetland Features						
Label	Cowardin	Description	Width	Length (ft)	Area (sq ft)	Acres
WF01	PEM	Seasonal Swale	N/A	N/A	188.8	0.004
WF02	PEM	Seasonal Swale	N/A	N/A	102.1	0.002
WF03	PEM	Seasonal Wetland	N/A	N/A	449.5	0.010
WF04	PEM	Seasonal Swale	N/A	N/A	713.3	0.016
WF05	PEM	Seasonal Wetland	N/A	N/A	172.0	0.004
<b>Seasonal Swale Totals =</b>					<b>1004.3</b>	<b>0.023</b>
<b>Seasonal Wetland Totals =</b>					<b>621.5</b>	<b>0.014</b>
<b>Wetland Features Totals =</b>					<b>1625.8</b>	<b>0.037</b>
Other Waters						
Label	Cowardin	Description	Width +	Length (ft)	Area (sq ft)	Acres
OW01	R4	Intermittent	5	642.5	3253.7	0.075
<b>Other Waters Totals =</b>				<b>642.5</b>	<b>3253.7</b>	<b>0.075</b>
<b>Aquatic Resources Totals =</b>				<b>642.5</b>	<b>4879.5</b>	<b>0.112</b>
+ Widths are represented as averages						

### Waters of the United States: Wetlands

A total of five wetland features occur within the Project site. These wetland features have been characterized as three seasonal swales and two seasonal wetlands (**Figure 4**). Seasonal wetlands are depressional features with a perched water table that typically stay inundated or saturated into the early summer months and are dominated by generalist wetland plant species. Swales are depressional features that function as low drainage pathways that typically connect to and help feed wetlands or other water features. All the wetlands identified within the Project site exhibited all necessary wetland parameters (**Appendix A**).

Of the five wetlands identified within the Project site, only two meet the criteria to be considered jurisdictional features (WF04 and WF05, **Figure 4**). The seasonal swale WF04 is a shallow depression that receives and pools surface sheetflow from the adjacent land to the northwest of the Project site and conveys this water directly into intermittent drainage OW01. The seasonal wetland WF05 is a slight depression located on a low terrace associated with OW01 that has a loose surface hydrologic connection to OW01.

The remaining three wetlands, seasonal wetland WF03 and seasonal swales WF01 and WF02, are all depressions that have formed at the toe of spoils piles and have developed positive wetland indicators. However, the spoil piles surrounding these three wetlands have completely cut these wetlands off from have a surface hydrologic connection to any adjacent aquatic resource. As such, these three wetlands meet the criteria to be considered potentially non-jurisdictional.

Photo points were taken of the wetlands within the Project site (**Figure 3**).

## Soils

Gallaway collected soil data at numerous locations within the Project site. Field observations of soil characteristics included soil color, texture, structure, and the visual assessment of soil features (e.g. the presence, or absence of redoximorphic features and the depth of restrictive layers such as hardpans). Gallaway’s soil texture evaluations rendered loams and sandy loams. Field observations of soil characteristics at the data points and test pit sites are included in the data sheet forms presented in **Appendix A**.

The geographic region in which the Project site is found is often characterized as having a naturally occurring duripan composed of cemented gravelly material that undulates throughout the region. Duripans restrict root growth, limit water infiltration, and result in a perching of the water table in certain locations. Within the Project site, the restrictive layers are composed of cemented gravelly material or lithic bedrock. The duripan is typically found at a depth of 20 to more than 80 inches based on the dominant soil map unit component found within the Project site. The depth of the hand dug soil pits were dug deep enough to determine the presence or rule out the absence of hydric soil indicators.

Gallaway queried the National Cooperative Soil Survey database to further evaluate the current soil conditions. One soil map unit occurs within the Project site. The map unit is listed below in **Table 2**. Based on Gallaway’s review, the soil map units identified within the Project site contains a low percentage of hydric components (5%). Within this soil type, the hydric components are typically found in depressions. A copy of the soil survey map and a description of mapped soil units for the Project site are included as **Appendix B**.

**Table 2. Soil Map Units, NRCS hydric soil designation, and approximate totals for the 1010 Main Street Development Project.**

Map Unit Symbol	Map Unit Name	% Hydric Component in Map Unit	Landform of Hydric Component	% Map Unit in Project
141	Cometa-Fiddymment complex, 1 to 5 percent slopes	5%	Depressions	100%

## Vegetation

During the site visits, the dominant vegetation present within the various wetlands within the Project site included perennial ryegrass (*Festuca perennis*) (FAC), lesser quaking grass (*Briza minor*) (FAC), fool’s onion (*Triteleia hyacinthina*) (FAC), and curly dock (*Rumex crispus*) (FAC). Vegetation within the OHWM of the intermittent drainage was dominated by a dense cover of perennial ryegrass (*Festuca perennis*) (FAC) with sparse curly dock (*Rumex crispus*) (FAC).

The upland annual grassland understory was dominated by wild oats (*Avena fatua*) (UPL), rip-gut brome (*Bromus diandrus*) (UPL), winter vetch (*Vicia villosa*) (NL), and soft chess (*Bromus hordeaceus*) (FACU). The tree canopy was dominated by valley oak (*Quercus lobata*) (FACU) and almond (*Prunus dulcis*) (NL).

## Hydrology

Precipitation and localized surface runoff from the surrounding development provide the main hydrological inputs for the aquatic resources within the Project site. The seasonal swale WF04 holds surface runoff that enters the Project site from the northwest before becoming channelized and forming the intermittent drainage OW01. The intermittent drainage OW01 flows south through the Project site and continues offsite to the southwest. The offsite portion of this drainage continues south, running parallel to the Project boundary where it then drains into a culvert that flows under Main Street. This culvert feeds into the municipal storm drainage system, which is presumed to eventually outfall into Dry Creek. Dry Creek is a direct tributary of the Sacramento River. The seasonal wetland WF05 is a shallow depression adjacent to OW01. The seasonal wetland WF05 may contribute overflow to the drainage during heavy precipitation.

The remaining three wetland features (WF01, WF02, and WF03) occur in the northeastern portion of the Project site where there has been significant historic disturbances to the land due to past earthmoving work and the dumping of spoils. These three wetlands are not natural wetlands, but have developed over time on the site at the toe of spoil piles where surface hydrology has been impounded due to the piles. The many spoil piles in this portion of the Project site have completely cut off the three wetlands from the intermittent drainage or any other aquatic resource. Since these three wetlands lack any surface hydrologic connection to the intermittent drainage or any other jurisdictional feature, they do not meet the definition of a jurisdictional WOTUS.

To confirm the jurisdictional status of WOTUS within the Project site, a significant nexus determination will need to be conducted by the Corps.

Site Photos Taken on April 13 and July 07, 2022



P01 – Upland looking northwest



P03 – Upland looking south



P01 – Upland looking southwest



P03 – Upland looking north



P02 – Upland looking north



P04 – Seasonal wetland WF05 looking southeast



P05 – Upland soil mounds/spoil piles looking north



P07 – Intermittent drainage OW01 looking north



P05 – Upland soil mounds/spoil piles looking south



P08 – Upland mounds/end of WF01 looking north



P06 – Upland trench looking south



P09 – Seasonal swale WF01 looking north



P10 – TP01 looking north



P12 – Upland looking southeast



P11 – Seasonal swale WF02 looking south



P13 – Start of seasonal wetland WF03 looking south



P12 – Seasonal wetland WF03 looking northwest



P14 – Start of seasonal swale WF04 looking southeast



P15 – Upland looking south



P15 – Upland looking west

## Glossary

**Abutting:** When referring to wetlands that are adjacent to a tributary, abutting defines those wetlands that are not separated from the tributary by an upland feature, such as a berm or dike.

**Adjacent:** Adjacent as used in “Adjacent to traditional navigable water,” is defined in Corps and EPA regulations as “bordering, contiguous, or neighboring.” Wetlands separated from other waters of the U.S. by man-made dikes or barriers, natural river berms, beach dunes and the like are ‘adjacent wetlands. A wetland “abuts” a tributary if it is not separated from the tributary by uplands, a berm, dike, or similar feature.

While all wetlands that meet the agencies' definitions are considered adjacent wetlands, only those adjacent wetlands that have a continuous surface connection because they directly abut the tributary (e.g., they are not separated by uplands, a berm, dike, or similar feature) are considered jurisdictional under the plurality standard. (CWA Jurisdiction Following Rapanos v US and Carabell v US 12-02-08).

The regulations define “adjacent” as follows: “[t]he term adjacent means bordering, contiguous, or neighboring. Wetlands separated from other waters of the United States by man-made dikes or barriers, natural river berms, beach dunes and the like are ‘adjacent wetlands.’” Under this definition, a wetland does not need to meet all criteria to be considered adjacent. The agencies consider wetlands to be bordering, contiguous, or neighboring, and therefore “adjacent” if at least one of following three criteria is satisfied:

- (1) There is an unbroken surface or shallow sub-surface hydrologic connection between the wetland and jurisdictional waters; or
- (2) The wetlands are physically separated from jurisdictional waters by “manmade dikes or barriers, natural river berms, beach dunes, and the like;” or,
- (3) Where a wetland’s physical proximity to a jurisdictional water is reasonably close, that wetland is “neighboring” and thus adjacent. For example, wetlands located within the riparian area or floodplain of a jurisdictional water will generally be considered neighboring, and thus adjacent. One test for whether a wetland is sufficiently proximate to be considered “neighboring” is whether there is a demonstrable ecological interconnection between the wetland and the jurisdictional waterbody. For example, if resident aquatic species (e.g., amphibians, reptiles, fish, mammals, or waterfowl) rely on both the wetland and the jurisdictional waterbody for all or part of their life cycles (e.g., nesting, rearing, feeding, etc.), that may demonstrate that the wetland is neighboring and thus adjacent. The agencies recognize that as the distance between the wetland and jurisdictional water increases, the potential ecological interconnection between the waters is likely to decrease.

The agencies will also continue to assert jurisdiction over wetlands “adjacent” to traditional navigable waters as defined in the agencies’ regulations. Under EPA and Corps regulations and as used in this guidance, “adjacent” means “bordering, contiguous, or neighboring.” Finding a continuous surface connection is not required to establish adjacency under this definition. The Rapanos decision does not affect the scope of jurisdiction over wetlands that are adjacent to traditional navigable waters. The agencies will assert jurisdiction over those adjacent wetlands that have a continuous surface connection with a relatively permanent, non-navigable tributary, without the legal obligation to make a significant nexus finding.

**Atypical situation (significantly disturbed):** In an atypical (significantly disturbed) situation, recent human activities or natural events have created conditions where positive indicators for hydrophytic vegetation, hydric soil, or wetland hydrology are not present or observable.

**Channel.** "An open conduit either naturally or artificially created which periodically or continuously contains moving water, or which forms a connecting link between two bodies of standing water" (Langbein and Iseri 1960:5).

**Channel bank.** The sloping land bordering a channel. The bank has steeper slope than the bottom of the channel and is usually steeper than the land surrounding the channel.

**Cobbles.** Rock fragments 7.6 cm (3 inches) to 25.4 cm (10 inches) in diameter.

**Debris flow.** A moving mass of rock fragments, soil, and mud where more than 50% of the particles are larger than sand-sized.

**Ditch.** A constructed or excavated channel used to convey water.

**Drift.** Organic debris oriented to flow direction(s) (larger than small twigs).

**Ephemeral stream.** An ephemeral stream has flowing water only in direct response to precipitation events in a typical year. Ephemeral streambeds are located above the water table year-round. Groundwater is not a source of water for the stream. Runoff from rainfall is the primary source of water for stream flow.

**Facultative wetland (FACW).** Wetland indicator category; species usually occurs in wetlands (estimated probability 67–99%) but occasionally found in non-wetlands.

**Flat.** A level landform composed of unconsolidated sediments usually mud or sand. Flats may be irregularly shaped or elongate and continuous with the shore, whereas bars are generally elongate, parallel to the shore, and separated from the shore by water.

**Gravel.** A mixture composed primarily of rock fragments 2mm (0.08 inch) to 7.6 cm (3 inches) in diameter. Usually contains much sand.

**Growing season.** The frost-free period of the year (see U.S. Department of Interior, National Atlas 1970:110-111 for generalized regional delineation).

**Herbaceous.** With the characteristics of an herb; a plant with no persistent woody stem above ground.

**Hydric soil.** Soil is hydric that is saturated, flooded, or ponded long enough during the growing season to develop anaerobic (oxygen-depleted) conditions in its upper part (i.e., within the shallow rooting zone of herbaceous plants).

**Hydrophyte, hydrophytic.** Any plant growing in water or on a substrate that is at least periodically deficient in oxygen as a result of excessive water content.

**Intermittent stream.** An intermittent stream has flowing water during certain times of the year and more than in direct response from precipitation, when elevated groundwater provides water for stream flow. During dry periods, intermittent streams may not have flowing water.

**Jurisdictional Waters.** Features that meet the definition of waters of the United States provided below and that fall under Corps regulations pursuant to Section 404 of the CWA are considered jurisdictional features.

**Litter.** Organic debris oriented to flow direction(s) (small twigs and leaves).

**Man-induced wetlands.** A man-induced wetland is an area that has developed at least some characteristics of naturally occurring wetlands due to either intentional or incidental human activities.

**Non-Relatively Permanent Water:** A non-relatively permanent water (NRPW) is defined as a tributary that is not a TNW and that typically flows for periods for less than 3 months. NRPWs are jurisdictional when they have a documented significant nexus to TNWs. All NRPWs must also contain appropriate morphology of bed, bank and scour and be clearly connected to a TNW.

**Normal circumstances.** This term refers to the soil and hydrologic conditions that are normally present, without regard to whether the vegetation has been removed.

**Obligate hydrophytes.** Species that are found only in wetlands e.g., cattail (*Typha latifolia*) as opposed to ubiquitous species that grow either in wetland or on upland-e.g., red maple (*Acer rubrum*).

**Obligate wetland (OBL).** Wetland indicator category; species occurs almost always (estimated probability 99%) under natural conditions in wetlands.

**Other Waters of the United States.** Other waters of the United States are seasonal or perennial water bodies, including lakes, stream channels, drainages, ponds, and other surface water features, that exhibit an ordinary high-water mark but lack positive indicators for one or more of the three wetland parameters (hydrophytic vegetation, hydric soil, and wetland hydrology) (33 CFR 328.4).

**Palustrine** the Palustrine System includes all nontidal wetlands dominated by trees, shrubs, persistent emergents, emergent mosses or lichens, and all such wetlands that occur in tidal areas where salinity due to ocean derived salts is below 0.5 parts per thousand. It also includes wetlands lacking such vegetation, but with all of the following four characteristics: (1) area less than 8 ha (20 acres); (2) active wave-formed or bedrock shoreline features lacking; (3) water depth in the deepest part of basin less than 2 m (6.6 feet) at low water; and (4) salinity due to ocean-derived salts is less than 0.5 parts per thousand.

**Perennial stream.** A perennial stream has flowing water year-round during atypical year. The water table is located above the stream bed for most of the year. Groundwater is the primary source of water for stream flow. Runoff from rainfall is a supplemental source of water for stream flow.

**Ponded.** Ponding is a condition in which free water covers the soil surface (e.g., in a closed depression) and is removed only by percolation, evaporation, or transpiration.

**Problem area.** Problem areas are those where one or more wetland parameters may be lacking because of normal seasonal or annual variations in environmental conditions that result from causes other than human activities or catastrophic natural events.

**Relatively Permanent Waters of the U.S.** Non-navigable tributaries of traditional navigable waters that are relatively permanent where the tributaries typically flow year-round or have continuous flow at least seasonally (e.g., typically three months).

**Scour.** Soil and debris movement.

**Sheetflow.** Overland flow occurring in a continuous sheet; a relatively high-frequency, low-magnitude event.

**Shrub.** A woody plant which at maturity is usually less than 6 m(20 feet) tall and generally exhibits several erect, spreading, or prostrate stems and has a bushy appearance ; e.g., speckled alder (*Alnus rugosa*) or buttonbush (*Cephalanthus occidentalis*).

**Succession.** Changes in the composition or structure of an ecological community.

**Traditional Navigable Waters (TNWs).** “[a]ll waters which are currently used, or were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide.” These waters are referred to in this guidance as traditional navigable waters. The traditional navigable waters include all of the “navigable waters of the United States,” as defined in

33 C.F.R. Part 329 and by numerous decisions of the federal courts, plus all other waters that are navigable-in-fact (for example, the Great Salt Lake, UT, and Lake Minnetonka, MN). Thus, the traditional navigable waters include, but are not limited to, the “navigable waters of the United States” within the meaning of Section 10 of the Rivers and Harbors Act of 1899 (also known as “Section 10 waters”).

**Tree.** A woody plant which at maturity is usually 6 m (20 feet) or more in height and generally has a single trunk, unbranched for 1 m or more above the ground, and a more or less definite crown; e.g., red maple (*Acer rubrum*), northern white cedar (*Thuja occidentalis*).

**Typical Year.** Defined by the EPA and Corps as meaning when precipitation and other climactic variables are within the normal periodic range for the geographic area based on a rolling thirty-year period.

**Water table.** The upper surface of a zone of saturation. No water table exists where that surface is formed by an impermeable body.

**Waters of the United States (WOTUS).** This is the encompassing term for areas under federal jurisdiction pursuant to Section 404 of the CWA. Waters of the United States are divided into “wetlands” and “other waters of the United States.”

**Watershed (drainage basin).** An area of land that drains to a single outlet and is separated from other watersheds by a divide.

**Wetland.** Wetlands are defined as “areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions” (33 CFR 328.3 [b], 40 CFR 230.3). To be considered under potential federal jurisdiction, a wetland must support positive indicators for hydrophytic vegetation, hydric soil, and wetland hydrology.

**Woody plant.** A seed plant (gymnosperm or angiosperm) that develops persistent, hard, fibrous tissues, basically xylem; e.g., trees and shrubs.

**Xeric.** Relating or adapted to an extremely dry habitat.

## References

- Cheatham, N.H., and J.R. Haller. 1975. An annotated list of California habitat types. Univ. of California Natural Land and Water Reserve System, unpubl. manuscript.
- Cowardin, Lewis M., Virginia Carter, Francis C. Golet and Edward T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. U.S. Department of the Interior, Fish and Wildlife Service, Washington D.C.
- Curtis, Katherine E., Robert W. Lichvar. 2010. Updated Datasheet for the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States. ERDC/CRREL TN-10-1. U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH
- Curtis, Katherine E., Robert W. Lichvar, Lindsey E. Dixon. 2011. Ordinary High Flows and the Stage-Discharge Relationship in the Arid West Region (Technical Report). U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH
- Environmental Laboratory 1987. U.S. Army Corps of Engineers wetlands delineation manual. (Technical Report Y-87-1). U.S. Army Waterways Experiment Station. Vicksburg, MS.
- Lichvar, R.W., and J.S. Wakeley, ed. 2004. Review of Ordinary High Water Mark indicators for delineating arid streams in the southwestern United States. ERDC/CRREL TR-04-1. Hanover, NH: U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory. ([http://www.crrel.usace.army.mil/techpub/CRREL\\_Reports/reports/TR04-21.pdf](http://www.crrel.usace.army.mil/techpub/CRREL_Reports/reports/TR04-21.pdf)).
- Lichvar, R.W., D. Finnegan, M. Ericsson, and W. Ochs. 2006. Distribution of Ordinary High Water Mark (OHWM) indicators and their reliability in identifying the limits of “Waters of the United States” in arid southwestern channels. ERDC/CRREL TR-06-5. Hanover, NH: U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory. ([http://www.crrel.usace.army.mil/techpub/CRREL\\_Reports/reports/TR06-5.pdf](http://www.crrel.usace.army.mil/techpub/CRREL_Reports/reports/TR06-5.pdf)).
- Lichvar, R.W. and S.M. McColley. 2008. A Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Western Region of the Western United States. ERDC/CRREL TR-08-12. Hanover, NH: U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory.
- Lichvar, R.W., D.L. Banks, W.N. Kirchner, and N.C. Melvin. 2016. State of California 2016 Wetland Plant List: The National Wetland Plant List: 2016 wetland ratings. *Phytoneuron* 2016-30: 1-17. U.S. Army Corps of Engineers. ISSN 2153 733X.
- Mayer, K.E. and W.F. Laudenslayer. 1988. A Guide to Wildlife Habitats of California. California Department of Forestry and Fire Protection. Sacramento, CA.
- National Centers for Environmental Information (NCEI). 2022. U.S. Climate Normals. SACRAMENTO METRO AP, California. Website <https://www.ncei.noaa.gov/access/us-climate-normals/#dataset=normals-annualseasonal&timeframe=15&location=CA&station=USW00024257> [accessed 6.May 2022].

- National Oceanic and Atmospheric Administration (NOAA). 2022. National Integrated Drought Information System. U.S. Drought Monitor. Accessed online through the U.S. Drought Portal ([www.drought.gov](http://www.drought.gov)).
- Natural Resources Conservation Service (NRCS). 2022. Custom Soil Resource Report for Placer County, California. Western Part. Accessed through the NRCS Web Soil Survey website (<http://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm>).
- Soil Survey Staff. 2010. Keys to Soil Taxonomy, 11th ed. USDA-Natural Resources Conservation Service, Washington, DC.
- U.S. Army Corps of Engineers (Corps). 2007. U.S. Army Corps of Engineers Jurisdictional Determination Form Instructional Guidebook. Prepared jointly by the U.S. Army Corps of Engineers and the Environmental Protection Agency. May 30, 2007.
- U.S. Army Corps of Engineers. 2008. Regional supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region. J.S. Wakeley, R.W. Lichvar, and C.V. Noble, ed. ERDC/EL TR-06-16. Vicksburg, MS: U.S. Army Engineer Research and Development Center, Environmental Laboratory.
- U.S. Army Corps of Engineers, South Pacific Division. 2001. Final summary report: Guidelines for jurisdictional determinations for water of the United States in the arid Southwest. San Francisco, CA: U.S. Army Corps of Engineers, South Pacific Division. (<http://www.spl.usace.army.mil/regulatory/lad.htm>).
- United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. <http://soils.usda.gov/>
- United States Department of Agriculture, Natural Resources Conservation Service. 2018. Field Indicators of Hydric Soils in the United States, Version 8.2. L.M. Vasilas, G.W. Hurt, and J.F. Berkowitz (eds.). USDA, NRCS, in cooperation with the National Technical Committee for Hydric Soils.
- Wetland Training Institute. 1995. Field guide for wetland delineation: 1987 Corps of Engineers manual. (WTI 95-3). Poolsville, MD.

## Appendix A: Wetland Delineation Data Sheets

**WETLAND DETERMINATION DATA FORM - Arid West Region**

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: July 07, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: TP01  
 Investigator(s): Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): concave Slope (%): 0.3  
 Subregion (LRR): C - Mediterranean California Lat: 38.754397 Long: -121.302015 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="radio"/> No <input checked="" type="radio"/> Hydric Soil Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Wetland Hydrology Present? Yes <input checked="" type="radio"/> No <input type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input type="radio"/> No <input checked="" type="radio"/>
Remarks: <u>Drought conditions are present. Sampled point is at the deepest point of a swale like depression.</u>	

**VEGETATION**

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <u>Avena fatua</u>	60	Yes	Not Listed	
2. <u>Festuca perennis</u>	40	Yes	FAC	
3. _____				
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <u>100</u> %				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>0</u> %	%		% Cover of Biotic Crust <u>10</u> %	

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50.0 % (A/B)

**Prevalence Index worksheet:**

	Total % Cover of:	Multiply by:	
OBL species	_____	x 1 =	<u>0</u>
FACW species	_____	x 2 =	<u>0</u>
FAC species	<u>40</u>	x 3 =	<u>120</u>
FACU species	_____	x 4 =	<u>0</u>
UPL species	<u>60</u>	x 5 =	<u>300</u>
Column Totals:	<u>100</u>	(A)	<u>420</u> (B)
Prevalence Index = B/A =			<u>4.20</u>

**Hydrophytic Vegetation Indicators:**

Dominance Test is >50%

Prevalence Index is ≤3.0<sup>1</sup>

Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

Remarks:

**SOIL**

Sampling Point: TP01

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 4/3	88	5YR 4/6	12	C	M	loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |  |
|--|--|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)                  |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)              |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)          |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)          |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input type="checkbox"/> Depleted Matrix (F3)              |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input type="checkbox"/> Redox Dark Surface (F6)           |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7)        |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input checked="" type="checkbox"/> Redox Depressions (F8) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)                 |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |  |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type: n/a  
 Depth (inches): n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the and presence and absence of hydric soil indicators.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input checked="" type="checkbox"/> Biotic Crust (B12)                 |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Only the sampled point at the deepest part of the depression has a minor amount of biotic crust. The rest of the depression does not have any biotic crust.

**WETLAND DETERMINATION DATA FORM - Arid West Region**

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: July 07, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: W01  
 Investigator(s): Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): concave Slope (%): 0  
 Subregion (LRR): C - Mediterranean California Lat: 38.754226 Long: -121.302014 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Hydric Soil Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Wetland Hydrology Present? Yes <input checked="" type="radio"/> No <input type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input checked="" type="radio"/> No <input type="radio"/>
Remarks: <u>Drought conditions are present. Sampled point is a swale like depression at the base of soil mounds.</u>	

**VEGETATION**

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <i>Festuca perennis</i>	85	Yes	FAC	
2. <i>Avena fatua</i>	15	No	Not Listed	
3. _____				
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <b>100%</b>				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>0</u> %		% Cover of Biotic Crust <u>17</u> %		

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0 % (A/B)

**Prevalence Index worksheet:**

	Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =		<u>0</u>
FACW species	_____	x 2 =		<u>0</u>
FAC species	<u>85</u>	x 3 =		<u>255</u>
FACU species	_____	x 4 =		<u>0</u>
UPL species	<u>15</u>	x 5 =		<u>75</u>
Column Totals:	<u>100</u>	(A)		<u>330</u> (B)
Prevalence Index = B/A =				<u>3.30</u>

**Hydrophytic Vegetation Indicators:**

Dominance Test is >50%

Prevalence Index is ≤3.0<sup>1</sup>

Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

Remarks:

**SOIL**

Sampling Point: W01

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/2	85	5YR 4/6	15	C	M	silty loam	Redox in M and PL

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |   |
|--|---|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)                   |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)               |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)           |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)           |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input type="checkbox"/> Depleted Matrix (F3)               |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input checked="" type="checkbox"/> Redox Dark Surface (F6) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7)         |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input checked="" type="checkbox"/> Redox Depressions (F8)  |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)                  |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |   |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type: n/a  
 Depth (inches): n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the presence of hydric soil indicators.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input checked="" type="checkbox"/> Biotic Crust (B12)                 |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**WETLAND DETERMINATION DATA FORM - Arid West Region**

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: July 07, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: U01  
 Investigator(s): Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): convex Slope (%): 0.3  
 Subregion (LRR): C - Mediterranean California Lat: 38.754234 Long: -121.302005 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="radio"/> No <input checked="" type="radio"/> Hydric Soil Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Wetland Hydrology Present? Yes <input type="radio"/> No <input checked="" type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input type="radio"/> No <input checked="" type="radio"/>
Remarks: <u>Drought conditions are present.</u>	

**VEGETATION**

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <i>Avena fatua</i>	90	Yes	Not Listed	
2. <i>Festuca perennis</i>	10	No	FAC	
3. _____				
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <b>100%</b>				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>0 %</u>	%		% Cover of Biotic Crust <u>0 %</u>	%

**Dominance Test worksheet:**  
 Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)  
 Total Number of Dominant Species Across All Strata: 1 (B)  
 Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0 % (A/B)

**Prevalence Index worksheet:**  
 Total % Cover of: \_\_\_\_\_ Multiply by: \_\_\_\_\_  
 OBL species \_\_\_\_\_ x 1 = 0  
 FACW species \_\_\_\_\_ x 2 = 0  
 FAC species 10 x 3 = 30  
 FACU species \_\_\_\_\_ x 4 = 0  
 UPL species 90 x 5 = 450  
 Column Totals: 100 (A) 480 (B)  
 Prevalence Index = B/A = 4.80

**Hydrophytic Vegetation Indicators:**  
 Dominance Test is >50%  
 Prevalence Index is ≤3.0<sup>1</sup>  
 Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)  
 Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

Remarks:

**SOIL**

Sampling Point: U01

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/2	90	5YR 4/6	10	C	M	loam	Clay inclusions are present

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |   |
|--|---|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)                   |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)               |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)           |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)           |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input type="checkbox"/> Depleted Matrix (F3)               |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input checked="" type="checkbox"/> Redox Dark Surface (F6) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7)         |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input type="checkbox"/> Redox Depressions (F8)             |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)                  |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |   |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type: n/a  
 Depth (inches): n/a

**Hydric Soil Present?** Yes  No

Remarks: The majority of the redoximorphic concentrations were in clay inclusions. The depth of soil pit was deep enough to determine the and presence and absence of hydric soil indicators.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input type="checkbox"/> Biotic Crust (B12)                            |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: No indicators present.

**WETLAND DETERMINATION DATA FORM - Arid West Region**

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: April 13, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: W02  
 Investigator(s): Elena Gregg, Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): none Slope (%): 0  
 Subregion (LRR): C - Mediterranean California Lat: 38.754374 Long: -121.302067 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Hydric Soil Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Wetland Hydrology Present? Yes <input checked="" type="radio"/> No <input type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input checked="" type="radio"/> No <input type="radio"/>
Remarks: <u>Drought conditions are present. Wetland feature is a clear swale depression formed at the toe of old debris mound.</u>	

**VEGETATION**

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <u>Rumex crispus</u>	30	Yes	FAC	
2. <u>Festuca perennis</u>	10	Yes	FAC	
3. <u>Bromus diandrus</u>	10	Yes	Not Listed	
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <u>50</u> %				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>50</u> %	%			% Cover of Biotic Crust <u>50</u> %

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 66.7 % (A/B)

**Prevalence Index worksheet:**

	Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =		0
FACW species	_____	x 2 =		0
FAC species	40	x 3 =		120
FACU species	_____	x 4 =		0
UPL species	10	x 5 =		50
Column Totals:	50	(A)		170 (B)
Prevalence Index = B/A =				3.40

**Hydrophytic Vegetation Indicators:**

Dominance Test is >50%

Prevalence Index is ≤3.0<sup>1</sup>

Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

Remarks:

**SOIL**

Sampling Point: W02

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 2/2	70	5YR 5/6	5	C	M	loam	
			10YR 5/3	25	D	M		

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |   |
|--|---|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)                   |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)               |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)           |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)           |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input type="checkbox"/> Depleted Matrix (F3)               |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input checked="" type="checkbox"/> Redox Dark Surface (F6) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7)         |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input checked="" type="checkbox"/> Redox Depressions (F8)  |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)                  |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |   |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type: n/a  
 Depth (inches): n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the presence of hydric soil indicators.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input checked="" type="checkbox"/> Biotic Crust (B12)                 |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input checked="" type="checkbox"/> Surface Soil Cracks (B6)       | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

## WETLAND DETERMINATION DATA FORM - Arid West Region

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: April 13, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: U02  
 Investigator(s): Elena Gregg, Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): none Slope (%): 0  
 Subregion (LRR): C - Mediterranean California Lat: 38.754384 Long: -121.302072 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

### SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input type="radio"/> No <input checked="" type="radio"/> Hydric Soil Present? Yes <input type="radio"/> No <input checked="" type="radio"/> Wetland Hydrology Present? Yes <input type="radio"/> No <input checked="" type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input type="radio"/> No <input checked="" type="radio"/>
Remarks: <u>Drought conditions are present. Sampled point is in a narrow upland swale like depression</u>	

### VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <u>Avena fatua</u>	30	Yes	Not Listed	
2. <u>Bromus diandrus</u>	30	Yes	Not Listed	
3. <u>Bromus hordeaceus</u>	10	No	FACU	
4. <u>Vicia sativa</u>	3	No	FACU	
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <u>73</u> %				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>27</u> %		% Cover of Biotic Crust <u>0</u> %		

**Dominance Test worksheet:**  
 Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)  
 Total Number of Dominant Species Across All Strata: 2 (B)  
 Percent of Dominant Species That Are OBL, FACW, or FAC: 0.0 % (A/B)

**Prevalence Index worksheet:**  
 Total % Cover of: \_\_\_\_\_ Multiply by: \_\_\_\_\_  
 OBL species \_\_\_\_\_ x 1 = 0  
 FACW species \_\_\_\_\_ x 2 = 0  
 FAC species \_\_\_\_\_ x 3 = 0  
 FACU species 13 x 4 = 52  
 UPL species 60 x 5 = 300  
 Column Totals: 73 (A) 352 (B)  
 Prevalence Index = B/A = 4.82

**Hydrophytic Vegetation Indicators:**  
 Dominance Test is >50%  
 Prevalence Index is ≤3.0<sup>1</sup>  
 Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)  
 Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

Remarks: Bare ground is covered by thatch.

**SOIL**

Sampling Point: U02

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 2/2	73	5YR 5/6	2	C	PL	loam	
	10YR 3/2	25						

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |   |
|--|---|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)           |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)       |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)   |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)   |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input type="checkbox"/> Depleted Matrix (F3)       |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input type="checkbox"/> Redox Dark Surface (F6)    |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7) |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input type="checkbox"/> Redox Depressions (F8)     |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)          |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |   |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type:n/a  
 Depth (inches):n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the absence of hydric soil indicators.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input type="checkbox"/> Biotic Crust (B12)                            |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: No primary indicators are present.

## WETLAND DETERMINATION DATA FORM - Arid West Region

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: April 13, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: W03  
 Investigator(s): Elena Gregg, Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): concave Slope (%): 0  
 Subregion (LRR): C - Mediterranean California Lat: 38.754605 Long: -121.302132 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

### SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Hydric Soil Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Wetland Hydrology Present? Yes <input type="radio"/> No <input checked="" type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input checked="" type="radio"/> No <input type="radio"/>
Remarks: <u>Drought conditions are present. Sampled area is the end of the minute swale depression.</u>	

### VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <i>Festuca perennis</i>	75	Yes	FAC	
2. <i>Triteleia hyacinthina</i>	5	No	FAC	
3. <i>Briza minor</i>	5	No	FAC	
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <b>85</b> %				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>15</u> %		% Cover of Biotic Crust <u>0</u> %		
Remarks: <u>Bare ground is covered by thatch.</u>				

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0 % (A/B)

**Prevalence Index worksheet:**

Total % Cover of:	Multiply by:		
OBL species	x 1 =	<u>0</u>	
FACW species	x 2 =	<u>0</u>	
FAC species	x 3 =	<u>255</u>	
FACU species	x 4 =	<u>0</u>	
UPL species	x 5 =	<u>0</u>	
Column Totals:		<u>85</u> (A)	<u>255</u> (B)
Prevalence Index = B/A =			<u>3.00</u>

**Hydrophytic Vegetation Indicators:**

Dominance Test is >50%

Prevalence Index is ≤3.0<sup>1</sup>

Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

**SOIL**

Sampling Point: W03

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/2	93	5YR 4/6	7	C	PL	loam	Redox in PL and M

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |   |
|--|---|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)                   |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)               |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)           |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)           |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input type="checkbox"/> Depleted Matrix (F3)               |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input checked="" type="checkbox"/> Redox Dark Surface (F6) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7)         |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input checked="" type="checkbox"/> Redox Depressions (F8)  |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)                  |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |   |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type: n/a  
 Depth (inches): n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the hydric soil indicators present.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input type="checkbox"/> Biotic Crust (B12)                            |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Algal matting is present further in the center of the feature, but lacking on the edge where the data point was taken.

## WETLAND DETERMINATION DATA FORM - Arid West Region

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: April 13, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: U03  
 Investigator(s): Elena Gregg, Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): none Slope (%): 0  
 Subregion (LRR): C - Mediterranean California Lat: 38.754604 Long: -121.302139 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

### SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes <input type="radio"/> No <input checked="" type="radio"/> Hydric Soil Present? Yes <input type="radio"/> No <input checked="" type="radio"/> Wetland Hydrology Present? Yes <input type="radio"/> No <input checked="" type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input type="radio"/> No <input checked="" type="radio"/>
Remarks: <u>Drought conditions are present. Local relief is none to minutely swale like, but has micro-mound topography.</u>	

### VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <i>Festuca perennis</i>	40	Yes	FAC	
2. <i>Bromus hordeaceus</i>	25	Yes	FACU	
3. <i>Geranium dissectum</i>	10	No	Not Listed	
4. <i>Elymus caput-medusae</i>	5	No	Not Listed	
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <b>80</b> %				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>20</u> %		% Cover of Biotic Crust <u>0</u> %		

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50.0 % (A/B)

**Prevalence Index worksheet:**

	Total % Cover of:	Multiply by:	
OBL species	_____	x 1 =	<u>0</u>
FACW species	_____	x 2 =	<u>0</u>
FAC species	<u>40</u>	x 3 =	<u>120</u>
FACU species	<u>25</u>	x 4 =	<u>100</u>
UPL species	<u>15</u>	x 5 =	<u>75</u>
Column Totals:	<u>80</u> (A)		<u>295</u> (B)
Prevalence Index = B/A =			<u>3.69</u>

**Hydrophytic Vegetation Indicators:**

Dominance Test is >50%

Prevalence Index is ≤3.0<sup>1</sup>

Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

Remarks: Bare ground is covered by thatch.

**SOIL**

Sampling Point: U03

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 3/2	96	5YR 4/6	4	C	M	loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |   |
|--|---|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)           |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)       |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)   |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)   |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input type="checkbox"/> Depleted Matrix (F3)       |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input type="checkbox"/> Redox Dark Surface (F6)    |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7) |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input type="checkbox"/> Redox Depressions (F8)     |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)          |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |   |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type: n/a  
 Depth (inches): n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the absence of hydric soil indicators.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input type="checkbox"/> Biotic Crust (B12)                            |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: No primary indicators are present at the sampled point.

**WETLAND DETERMINATION DATA FORM - Arid West Region**

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: April 13, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: W04  
 Investigator(s): Elena Gregg, Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): concave Slope (%): 0  
 Subregion (LRR): C - Mediterranean California Lat: 38.75475 Long: -121.302361 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Hydric Soil Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Wetland Hydrology Present? Yes <input type="radio"/> No <input checked="" type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input checked="" type="radio"/> No <input type="radio"/>
Remarks: <u>Drought conditions are present. Sampled area is a the beginning of a slight swale depression abutting a gravel road.</u>	

**VEGETATION**

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <i>Festuca perennis</i>	70	Yes	FAC	
2. <i>Bromus horeaceus</i>	10	No	FACU	
3. _____				
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <b>80</b> %				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>20</u> %		% Cover of Biotic Crust <u>0</u> %		

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0 % (A/B)

**Prevalence Index worksheet:**

	Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =		0
FACW species	_____	x 2 =		0
FAC species	70	x 3 =		210
FACU species	10	x 4 =		40
UPL species	_____	x 5 =		0
Column Totals:	80	(A)		250 (B)
Prevalence Index = B/A =				3.13

**Hydrophytic Vegetation Indicators:**

Dominance Test is >50%

Prevalence Index is ≤3.0<sup>1</sup>

Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

Remarks: Bare ground covered by thatch.

**SOIL**

Sampling Point: W04

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 4/2	95	2.5YR 3/6	5	C	M	silty loam	Redox in PL and M

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |  |
|--|--|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)                  |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)              |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)          |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)          |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input checked="" type="checkbox"/> Depleted Matrix (F3)   |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input type="checkbox"/> Redox Dark Surface (F6)           |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7)        |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input checked="" type="checkbox"/> Redox Depressions (F8) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)                 |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |  |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type:n/a  
Depth (inches):n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the hydric soil indicators present.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input type="checkbox"/> Biotic Crust (B12)                            |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: No primary indicators are present.

**WETLAND DETERMINATION DATA FORM - Arid West Region**

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: April 13, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: U04  
 Investigator(s): Elena Gregg, Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): none Slope (%): 0  
 Subregion (LRR): C - Mediterranean California Lat: 38.754762 Long: -121.302359 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="radio"/> No <input checked="" type="radio"/> Hydric Soil Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Wetland Hydrology Present? Yes <input type="radio"/> No <input checked="" type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input type="radio"/> No <input checked="" type="radio"/>
Remarks: <u>Drought conditions are present.</u>	

**VEGETATION**

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <i>Festuca perennis</i>	50	Yes	FAC	
2. <i>Bromus horeaceus</i>	30	Yes	FACU	
3. _____				
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <u>80</u> %				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>20</u> %		% Cover of Biotic Crust <u>0</u> %		

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50.0 % (A/B)

**Prevalence Index worksheet:**

	Total % Cover of:	Multiply by:
OBL species	<u>  </u>	x 1 = <u>0</u>
FACW species	<u>  </u>	x 2 = <u>0</u>
FAC species	<u>50</u>	x 3 = <u>150</u>
FACU species	<u>30</u>	x 4 = <u>120</u>
UPL species	<u>  </u>	x 5 = <u>0</u>
Column Totals:	<u>80</u> (A)	<u>270</u> (B)
Prevalence Index = B/A = <u>3.38</u>		

**Hydrophytic Vegetation Indicators:**

Dominance Test is >50%

Prevalence Index is ≤3.0<sup>1</sup>

Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

Remarks: Bare ground covered by thatch.

**SOIL**

Sampling Point: U04

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-1	10YR 2/2	98	5YR 4/6	2	C	PL	silty loam	lots of organic material
1-5	10YR 4/2	97	5YR 4/6	3	C	PL	silty loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |  |
|--|--|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)                |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)            |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)        |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)        |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input checked="" type="checkbox"/> Depleted Matrix (F3) |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input type="checkbox"/> Redox Dark Surface (F6)         |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7)      |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input type="checkbox"/> Redox Depressions (F8)          |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)               |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |  |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type: n/a  
 Depth (inches): n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the hydric soil indicators present.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input type="checkbox"/> Biotic Crust (B12)                            |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: No indicators are present.

**WETLAND DETERMINATION DATA FORM - Arid West Region**

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: April 13, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: W05  
 Investigator(s): Elena Gregg, Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): concave Slope (%): 0  
 Subregion (LRR): C - Mediterranean California Lat: 38.753408 Long: -121.30232 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Hydric Soil Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Wetland Hydrology Present? Yes <input checked="" type="radio"/> No <input type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input checked="" type="radio"/> No <input type="radio"/>
Remarks: <u>Drought conditions are present. Area is a slight depression.</u>	

**VEGETATION**

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <i>Festuca perennis</i>	70	Yes	FAC	
2. <i>Bromus horeaceus</i>	15	No	FACU	
3. _____				
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <u>85</u> %				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>15</u> %	%		% Cover of Biotic Crust <u>1</u> %	%

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 100.0 % (A/B)

**Prevalence Index worksheet:**

	Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =		0
FACW species	_____	x 2 =		0
FAC species	70	x 3 =		210
FACU species	15	x 4 =		60
UPL species	_____	x 5 =		0
Column Totals:	85	(A)		270 (B)
Prevalence Index = B/A =				3.18

**Hydrophytic Vegetation Indicators:**

Dominance Test is >50%

Prevalence Index is ≤3.0<sup>1</sup>

Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

Remarks:

**SOIL**

Sampling Point: W05

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-6	10YR 4/2	95	2.5YR 3/6	5	C	M	silty loam	redox in M and PL

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |  |
|--|--|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)                  |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)              |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)          |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)          |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input checked="" type="checkbox"/> Depleted Matrix (F3)   |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input type="checkbox"/> Redox Dark Surface (F6)           |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7)        |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input checked="" type="checkbox"/> Redox Depressions (F8) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)                 |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |  |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type: n/a  
 Depth (inches): n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the hydric soil indicators present.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input checked="" type="checkbox"/> Biotic Crust (B12)                 |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No  Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No  Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

**WETLAND DETERMINATION DATA FORM - Arid West Region**

Project/Site: 1010 Main Street Roseville City/County: Roseville Sampling Date: April 13, 2022  
 Applicant/Owner: Pat Laughlin State: CA Sampling Point: U05  
 Investigator(s): Elena Gregg, Christopher Belko Section, Township, Range: Section 34, Township 11N, Range 06E  
 Landform (hillslope, terrace, etc.): terrace Local relief (concave, convex, none): none Slope (%): 0  
 Subregion (LRR): C - Mediterranean California Lat: 38.753413 Long: -121.302294 Datum: NAD83  
 Soil Map Unit Name: 141 Cometa-Fiddymment complex, 1 to 5 percent slopes NWI classification: N/a

Are climatic / hydrologic conditions on the site typical for this time of year? Yes  No  (If no, explain in Remarks.)  
 Are Vegetation  Soil  or Hydrology  significantly disturbed? Are "Normal Circumstances" present? Yes  No   
 Are Vegetation  Soil  or Hydrology  naturally problematic? (If needed, explain any answers in Remarks.)

**SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.**

Hydrophytic Vegetation Present? Yes <input type="radio"/> No <input checked="" type="radio"/> Hydric Soil Present? Yes <input checked="" type="radio"/> No <input type="radio"/> Wetland Hydrology Present? Yes <input type="radio"/> No <input checked="" type="radio"/>	<b>Is the Sampled Area within a Wetland?</b> Yes <input type="radio"/> No <input checked="" type="radio"/>
Remarks: <u>Drought conditions are present. Local relief none to minutely convex.</u>	

**VEGETATION**

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status	
1. _____				
2. _____				
3. _____				
4. _____				
Total Cover: _____ %				
Sapling/Shrub Stratum				
1. _____				
2. _____				
3. _____				
4. _____				
5. _____				
Total Cover: _____ %				
Herb Stratum				
1. <i>Bromus horeaceus</i>	55	Yes	FACU	
2. <i>Festuca perennis</i>	15	Yes	FAC	
3. <i>Elymus caput-medusae</i>	5	No	Not Listed	
4. _____				
5. _____				
6. _____				
7. _____				
8. _____				
Total Cover: <u>75</u> %				
Woody Vine Stratum				
1. _____				
2. _____				
Total Cover: _____ %				
% Bare Ground in Herb Stratum <u>25</u> %	% Cover of Biotic Crust <u>0</u> %			
Remarks: <u>Bare ground covered by thatch.</u>				

**Dominance Test worksheet:**

Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 50.0 % (A/B)

**Prevalence Index worksheet:**

	Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	_____	0
FACW species	_____	x 2 =	_____	0
FAC species	15	x 3 =	45	
FACU species	55	x 4 =	220	
UPL species	5	x 5 =	25	
Column Totals:	75	(A)	290	(B)
Prevalence Index = B/A =				3.87

**Hydrophytic Vegetation Indicators:**

Dominance Test is >50%

Prevalence Index is ≤3.0<sup>1</sup>

Morphological Adaptations<sup>1</sup> (Provide supporting data in Remarks or on a separate sheet)

Problematic Hydrophytic Vegetation<sup>1</sup> (Explain)

<sup>1</sup>Indicators of hydric soil and wetland hydrology must be present.

**Hydrophytic Vegetation Present?** Yes  No

**SOIL**

Sampling Point: U05

**Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)**

Depth (inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type <sup>1</sup>	Loc <sup>2</sup>		
0-5	10YR 4/2	96	2.5YR 3/6	4	C	M	silty loam	

<sup>1</sup>Type: C=Concentration, D=Depletion, RM=Reduced Matrix. CS=Covered or Coated Sand Grains      <sup>2</sup> Location: PL=Pore Lining, M=Matrix.

**Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)**

- |  |  |
|--|--|
| <input type="checkbox"/> Histosol (A1)                     | <input type="checkbox"/> Sandy Redox (S5)                |
| <input type="checkbox"/> Histic Epipedon (A2)              | <input type="checkbox"/> Stripped Matrix (S6)            |
| <input type="checkbox"/> Black Histic (A3)                 | <input type="checkbox"/> Loamy Mucky Mineral (F1)        |
| <input type="checkbox"/> Hydrogen Sulfide (A4)             | <input type="checkbox"/> Loamy Gleyed Matrix (F2)        |
| <input type="checkbox"/> Stratified Layers (A5) (LRR C)    | <input checked="" type="checkbox"/> Depleted Matrix (F3) |
| <input type="checkbox"/> 1 cm Muck (A9) (LRR D)            | <input type="checkbox"/> Redox Dark Surface (F6)         |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Depleted Dark Surface (F7)      |
| <input type="checkbox"/> Thick Dark Surface (A12)          | <input type="checkbox"/> Redox Depressions (F8)          |
| <input type="checkbox"/> Sandy Mucky Mineral (S1)          | <input type="checkbox"/> Vernal Pools (F9)               |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4)          |  |

**Indicators for Problematic Hydric Soils: <sup>3</sup>**

- 1 cm Muck (A9) (LRR C)
- 2 cm Muck (A10) (LRR B)
- Reduced Vertic (F18)
- Red Parent Material (TF2)
- Other (Explain in Remarks)

<sup>3</sup> Indicators of hydrophytic vegetation and wetland hydrology must be present unless distributed or problematic

**Restrictive Layer (if present):**

Type: n/a  
 Depth (inches): n/a

**Hydric Soil Present?** Yes  No

Remarks: The depth of soil pit was deep enough to determine the hydric soil indicators present.

**HYDROLOGY**

**Wetland Hydrology Indicators:**

Primary Indicators (minimum of one required; check all that apply)

- |  |  |
|--|--|
| <input type="checkbox"/> Surface Water (A1)                        | <input type="checkbox"/> Salt Crust (B11)                              |
| <input type="checkbox"/> High Water Table (A2)                     | <input type="checkbox"/> Biotic Crust (B12)                            |
| <input type="checkbox"/> Saturation (A3)                           | <input type="checkbox"/> Aquatic Invertebrates (B13)                   |
| <input type="checkbox"/> Water Marks (B1) (Nonriverine)            | <input type="checkbox"/> Hydrogen Sulfide Odor (C1)                    |
| <input type="checkbox"/> Sediment Deposits (B2) (Nonriverine)      | <input type="checkbox"/> Oxidized Rhizospheres along Living Roots (C3) |
| <input type="checkbox"/> Drift Deposits (B3) (Nonriverine)         | <input type="checkbox"/> Presence of Reduced Iron (C4)                 |
| <input type="checkbox"/> Surface Soil Cracks (B6)                  | <input type="checkbox"/> Recent Iron Reduction in Plowed Soils (C6)    |
| <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) | <input type="checkbox"/> Thin Muck Surface (C7)                        |
| <input type="checkbox"/> Water-Stained Leaves (B9)                 | <input type="checkbox"/> Other (Explain in Remarks)                    |

Secondary Indicators (2 or more required)

- Water Marks (B1) (Riverine)
- Sediment Deposits (B2) (Riverine)
- Drift Deposits (B3) (Riverine)
- Drainage Patterns (B10)
- Dry-Season Water Table (C2)
- Crayfish Burrows (C8)
- Saturation Visible on Aerial Imagery (C9)
- Shallow Aquitard (D3)
- FAC-Neutral Test (D5)

**Field Observations:**

Surface Water Present? Yes  No       Depth (inches): \_\_\_\_\_  
 Water Table Present? Yes  No       Depth (inches): \_\_\_\_\_  
 Saturation Present? (includes capillary fringe) Yes  No       Depth (inches): \_\_\_\_\_

**Wetland Hydrology Present?** Yes  No

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: No primary indicators are present.

## Appendix B: NRCS Soils Map and Soil Series Description



United States  
Department of  
Agriculture


**NRCS**

Natural  
Resources  
Conservation  
Service

A product of the National  
Cooperative Soil Survey,  
a joint effort of the United  
States Department of  
Agriculture and other  
Federal agencies, State  
agencies including the  
Agricultural Experiment  
Stations, and local  
participants

# Custom Soil Resource Report for Placer County, California, Western Part

1010 Main Street Roseville



# Preface

---

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist ([http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2\\_053951](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951)).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

# Contents

---

<b>Preface</b> .....	2
<b>How Soil Surveys Are Made</b> .....	5
<b>Soil Map</b> .....	8
Soil Map.....	9
Legend.....	10
Map Unit Legend.....	11
Map Unit Descriptions.....	11
Placer County, California, Western Part.....	13
141—Cometa-Fiddymet complex, 1 to 5 percent slopes.....	13
<b>Soil Information for All Uses</b> .....	15
Soil Reports.....	15
Land Classifications.....	15
Hydric Soils.....	15
<b>References</b> .....	18

# How Soil Surveys Are Made

---

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

## Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

## Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

# Soil Map

---

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.

# Custom Soil Resource Report Soil Map



Map Scale: 1:1,930 if printed on A portrait (8.5" x 11") sheet.




0 25 50 100 150 Meters

0 50 100 200 300 Feet


Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 10N WGS84

### MAP LEGEND

**Area of Interest (AOI)**

 Area of Interest (AOI)




















**Soils**







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

**Special Point Features**






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features


**Water Features**

 Streams and Canals

**Transportation**

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

**Background**

 Aerial Photography

### MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service  
 Web Soil Survey URL:  
 Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Placer County, California, Western Part  
 Survey Area Data: Version 13, Sep 3, 2021

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: May 11, 2019—May 12, 2019

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
141	Cometa-Fiddymont complex, 1 to 5 percent slopes	4.0	100.0%
<b>Totals for Area of Interest</b>		<b>4.0</b>	<b>100.0%</b>

## Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

## Custom Soil Resource Report

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

## Placer County, California, Western Part

### 141—Cometa-Fiddymment complex, 1 to 5 percent slopes

#### Map Unit Setting

*National map unit symbol:* hfzk  
*Elevation:* 20 to 400 feet  
*Mean annual precipitation:* 10 to 23 inches  
*Mean annual air temperature:* 61 to 63 degrees F  
*Frost-free period:* 230 to 300 days  
*Farmland classification:* Not prime farmland

#### Map Unit Composition

*Cometa and similar soils:* 40 percent  
*Fiddymment and similar soils:* 30 percent  
*Minor components:* 30 percent  
*Estimates are based on observations, descriptions, and transects of the mapunit.*

#### Description of Cometa

##### Setting

*Landform:* Terraces  
*Landform position (two-dimensional):* Backslope  
*Landform position (three-dimensional):* Tread  
*Down-slope shape:* Linear  
*Across-slope shape:* Linear  
*Parent material:* Alluvium derived from granite

##### Typical profile

*H1 - 0 to 18 inches:* sandy loam  
*H2 - 18 to 29 inches:* clay  
*H3 - 29 to 60 inches:* sandy loam

##### Properties and qualities

*Slope:* 1 to 5 percent  
*Depth to restrictive feature:* More than 80 inches  
*Drainage class:* Well drained  
*Runoff class:* Very high  
*Capacity of the most limiting layer to transmit water (Ksat):* Very low to moderately low (0.00 to 0.06 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Available water supply, 0 to 60 inches:* Very low (about 2.2 inches)

##### Interpretive groups

*Land capability classification (irrigated):* 4e  
*Land capability classification (nonirrigated):* 4e  
*Hydrologic Soil Group:* D  
*Ecological site:* R017XD093CA - CLAYPAN  
*Hydric soil rating:* No

#### Description of Fiddymment

##### Setting

*Landform:* Ridges

## Custom Soil Resource Report

*Landform position (two-dimensional):* Backslope  
*Landform position (three-dimensional):* Side slope  
*Down-slope shape:* Linear  
*Across-slope shape:* Linear  
*Parent material:* Alluvium derived from siltstone

### Typical profile

*H1 - 0 to 12 inches:* loam  
*H2 - 12 to 28 inches:* clay loam  
*H3 - 28 to 35 inches:* indurated  
*H4 - 35 to 39 inches:* weathered bedrock

### Properties and qualities

*Slope:* 1 to 5 percent  
*Depth to restrictive feature:* 20 to 35 inches to duripan; 35 to 39 inches to lithic bedrock  
*Drainage class:* Well drained  
*Runoff class:* Very high  
*Capacity of the most limiting layer to transmit water (Ksat):* Very low (0.00 to 0.00 in/hr)  
*Depth to water table:* More than 80 inches  
*Frequency of flooding:* None  
*Frequency of ponding:* None  
*Available water supply, 0 to 60 inches:* Very low (about 2.7 inches)

### Interpretive groups

*Land capability classification (irrigated):* 4e  
*Land capability classification (nonirrigated):* 4e  
*Hydrologic Soil Group:* D  
*Ecological site:* R017XD093CA - CLAYPAN  
*Hydric soil rating:* No

### Minor Components

#### **Kaseberg, loam**

*Percent of map unit:* 10 percent  
*Hydric soil rating:* No

#### **San joaquin, sandy loam**

*Percent of map unit:* 10 percent  
*Hydric soil rating:* No

#### **Ramona, sandy loam**

*Percent of map unit:* 5 percent  
*Hydric soil rating:* No

#### **Alamo, clay**

*Percent of map unit:* 5 percent  
*Landform:* Depressions  
*Hydric soil rating:* Yes

# Soil Information for All Uses

---

## Soil Reports

The Soil Reports section includes various formatted tabular and narrative reports (tables) containing data for each selected soil map unit and each component of each unit. No aggregation of data has occurred as is done in reports in the Soil Properties and Qualities and Suitabilities and Limitations sections.

The reports contain soil interpretive information as well as basic soil properties and qualities. A description of each report (table) is included.

## Land Classifications

This folder contains a collection of tabular reports that present a variety of soil groupings. The reports (tables) include all selected map units and components for each map unit. Land classifications are specified land use and management groupings that are assigned to soil areas because combinations of soil have similar behavior for specified practices. Most are based on soil properties and other factors that directly influence the specific use of the soil. Example classifications include ecological site classification, farmland classification, irrigated and nonirrigated land capability classification, and hydric rating.

## Hydric Soils

This table lists the map unit components that are rated as hydric soils in the survey area. This list can help in planning land uses; however, onsite investigation is recommended to determine the hydric soils on a specific site (National Research Council, 1995; Hurt and others, 2002).

The three essential characteristics of wetlands are hydrophytic vegetation, hydric soils, and wetland hydrology (Cowardin and others, 1979; U.S. Army Corps of Engineers, 1987; National Research Council, 1995; Tiner, 1985). Criteria for all of the characteristics must be met for areas to be identified as wetlands. Undrained hydric soils that have natural vegetation should support a dominant population of ecological wetland plant species. Hydric soils that have been converted to other uses should be capable of being restored to wetlands.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the

## Custom Soil Resource Report

upper part (Federal Register, 1994). These soils, under natural conditions, are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.

The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 2002). These criteria are used to identify map unit components that normally are associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (Soil Survey Staff, 1999) and "Keys to Soil Taxonomy" (Soil Survey Staff, 2006) and in the "Soil Survey Manual" (Soil Survey Division Staff, 1993).

If soils are wet enough for a long enough period of time to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils are specified in "Field Indicators of Hydric Soils in the United States" (Hurt and Vasilas, 2006).

Hydric soils are identified by examining and describing the soil to a depth of about 20 inches. This depth may be greater if determination of an appropriate indicator so requires. It is always recommended that soils be excavated and described to the depth necessary for an understanding of the redoximorphic processes. Then, using the completed soil descriptions, soil scientists can compare the soil features required by each indicator and specify which indicators have been matched with the conditions observed in the soil. The soil can be identified as a hydric soil if at least one of the approved indicators is present.

Map units that are dominantly made up of hydric soils may have small areas, or inclusions, of nonhydric soils in the higher positions on the landform, and map units dominantly made up of nonhydric soils may have inclusions of hydric soils in the lower positions on the landform.

The criteria for hydric soils are represented by codes in the table (for example, 2). Definitions for the codes are as follows:

1. All Histels except for Folistels, and Histosols except for Folists.
2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Historthels great group, Histoturbels great group, Pachic subgroups, or Cumulic subgroups that:
  - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
  - B. Show evidence that the soil meets the definition of a hydric soil;
3. Soils that are frequently ponded for long or very long duration during the growing season.
  - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
  - B. Show evidence that the soil meets the definition of a hydric soil;
4. Map unit components that are frequently flooded for long duration or very long duration during the growing season that:
  - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or

Custom Soil Resource Report

B. Show evidence that the soil meets the definition of a hydric soil;

Hydric Condition: Food Security Act information regarding the ability to grow a commodity crop without removing woody vegetation or manipulating hydrology.

References:

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. September 18, 2002. Hydric soils of the United States.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18.

Soil Survey Staff. 2006. Keys to soil taxonomy. 10th edition. U.S. Department of Agriculture, Natural Resources Conservation Service.

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service. U.S. Department of Agriculture Handbook 436.

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

**Report—Hydric Soils**

Hydric Soils—Placer County, California, Western Part				
Map symbol and map unit name	Component	Percent of map unit	Landform	Hydric criteria
141—Cometa-Fiddymnt complex, 1 to 5 percent slopes				
	Alamo, clay	5	Depressions	2

# References

---

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\\_054262](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262)
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\\_053577](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577)
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\\_053580](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580)
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2\\_053374](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374)
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

## Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2\\_054242](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242)

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2\\_053624](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624)

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. [http://www.nrcs.usda.gov/Internet/FSE\\_DOCUMENTS/nrcs142p2\\_052290.pdf](http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf)